	market Balling and the	*	344
FILE NOTATIONS		A Paramagan	108
Entered in NID File	131. 1 Lang.	Checked by Chief	KID
Entered On S R Sheet		Copy NID to Field Office	***************
Location Map Pinned	<u> </u>	Approval Letter	
Card Indexed		Disapproval Letter	*******************
IWR for State or Fee Land		/	
COMPLETION DA	TA:		
	4-30-60	Location Inspected	
ow ww	TA	Bond released	
ew os	РА	State of Fee Land	***************************************
Driller's Log 2		LED	<i>j</i>
Electric Logs (No.	1.3		
E	E-1	SR GR-N	Misro
Lat.	. Mi-L Sonic	Others	***************************************
Electronic	Casina	Carlinger L	A -
	4		

Form 9-331 b (April 1952)

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY


ndian Agency
Vindov Rock
Allottee
.case No. 14-20-603-364

NOTICE OF INTENTION TO DRILL	SHUT-OFF REPAIR WELL CIDIZE TER CASING	SUBSEQUENT REPOR SUBSEQUENT REPOR SUBSEQUENT REPOR SUBSEQUENT REPOR SUPPLEMENTARY WI	TOF WATER SHUT-OFF TOF SHOOTING OR ACID TOF ALTERING CASING TOF REDRILLING OR RE TOF ABANDONMENT	PAIR
Navajo 'C' Tell No#31-32 is loca	598 tedft. from		March 21	
W ME Sec. 32 (½ Sec. and Sec. No.)	406 (Twp.) (E	25E	(Meridian)	
Mc Elmo Creek (Field)	Sen (County or S	Auan	(State or T	h
	DETAILS	S OF WORK	•	te mudding jobs, ceme
ate names of and expected depths to c	DETAILS bjective sands; show sizes, v ing points, and all othe	S OF WORK weights, and lengths of	f proposed casings; indica work)	
080'. Will set approxim	DETAILS be b	S OF WORK weights, and lengths of ir important proposed	proposed casings; indicate work)	of approxima
Propose to drill set approximates. Will set 5-1 cas:	DETAILS bjective sands; show sizes, ving points, and all other well to test Parately 600' of 84 ing through any	S OF WORK weights, and lengths of ir important proposed radox Formati	proposed casings; indicate work) on to a depth pipe with cen	of approximation
Propose to drill 180'. Will set approximate. Will set 5-1/2 casement casing with 300 and approximate.	DETAILS bjective sands; show sizes, ving points, and all other well to test Parately 600' of 84 ing through any sacks.	of WORK weights, and lengths of rimportant proposed radox Formati -5/8" surface commercial p	proposed casings; indicate work) on to a depth pipe with centeroduction enco	of approximation of app
Propose to drill a set approximate. Will set approximate. Will set 5-1 cas:	DETAILS be b	S OF WORK weights, and lengths of rimportant proposed radox Formati -5/8 Surface commercial p	fproposed casings; indications work) on to a depth pipe with centred or oduction encounts of the control of t	of approximation of control of approximation of approxima
Propose to drill 1980'. Will set approximates. Will set 5-1/2 casement casing with 300 and approximates.	DETAILS bjective sands; show sizes, ving points, and all other well to test Parately 600° of 84 ing through any sacks.	S OF WORK weights, and lengths of rimportant proposed radox Formati -5/8 Surface commercial p	fproposed casings; indications work) on to a depth pipe with centred or oduction encounts of the control of t	of approximation of control of approximation of approxima

/lbc

U. S. GOVERNMENT PRINTING OFFICE 16-8437b-8

CERTIFICATE OF SURVEY



WELL LOCATION: The Superior Oil Co. — Navajo "C" 31-32

Located 2100 feet West of the East line and 598 feet South of the North line of Section 32, Township 40 South, Range 25 East, Salt Lake Base & Meridian.

Existing ground elevation determined at 4975 feet based on U.S.G.S. datum.

I hereby certify the above plat represents a survey move, under my supervision and is accurate to the descriptions knowledge and belief.

Elme M. Clark

ELMER M. CLARK
Registered Land Surveyor
Utah No. 2307

Revised April 5, 1960

E.M. CLARK & ASSOCIATES

Durango, Colorado

March 2, 1960

March 28, 1960

The Superior Oil Company P. O. Drawer G Cortez, Colorado

Attention: D. D. Kingman, Engineer

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Navajo 'C' #31-32, which is to be located 510 feet from the north line and 1980 feet from the east line of Section 32, Township 40 South, Range 25 East, SLEM, San Juan County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well is not spudded within said period.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT, EXECUTIVE SECRETARY

CBF:awg

Co: P. T. McGrath, Dist. Eng. U. S. Geological Survey Farmington, New Mexico

195

Form OGCC-3

32

STATE OF UTAH

OIL & GAS CONSERVATION COMMISSION

Salt Lake City, Utah

To	be	kept	Confidential	until
		•		(Not to exceed 4 months after filing date

LOG OF OIL OR GAS WELL

LOC	CATE WELL	CORRECTL	Y						
Operat	ting Comp	oany The	Superio	r Oil C	ompan X ddres	_s P. O. Drawer	'G' - C	ortez,	Colorado
Lease	or Tract.	Navajo	'G'		Field !	McElmo Creek	State	Utah	<u> </u>
						<u>SM</u> Cou			
Location	on 598	ft. $\left\{ \mathbf{X} \cdot \right\}$ of $\left[\mathbf{N} \cdot \right]$	Line a	nd 2100ft	$\left\{ \begin{array}{c} \mathbf{K} \\ \mathbf{W} \end{array} \right\} \text{ of } \mathbf{E}$	Line ofSec	.32	Eleva	tion 4987 KB
Tl	he inform		herewith is	s a comple vailable re	ete and correct cords.	et record of the w	ell and al	l work d	one thereon
Date _	May 12,	1960							
Tl	he summa				on of the wel	l at above date.	J		
Comm	enced dril	lingA	pril 4		960 Finish	ned drilling	April	30	, 1960.
			OI		AS SANDS (Denote gas by G)				
No. 1,	from	5656	to	5788	No. 4	, from	to		
No. 2,	from	5802	to	5972	No. 5	, from	to)	
No. 3,	from		to		No. 6	, from	to)	•••••
			3	MPORTA	NT WATER	SANDS			
No. 1,	from		to		No. 3	, from	to		
No. 2,	from		to		No. 4	, from	to)	
				CAS	ING RECO	RD			
Size casing	Weight per foot	Threads per Inch	Make	Amount	Kind of shoe	Cut and pulled from	Perfor From	To-	Purpose
 3 - 5/8"	24#	8Rd		645'	Float	None			Surface
5-1/2"		# 8Rd		6000'	Float	None	5803	5846	Production
							l .	I I	
					1		:	•	
	p		MUDI	DING AN	D CEMENT	ING RECORD			
Size casing	Where se	et Num	ber sacks of c	ement	Method used	Mud gravity	Ar	nount of m	ud used
3-5/8"	64		350			ted to surface			
5-1/2"	600	00 '	300		Pump & 1	Plug	-		

PLUGS AND ADAPTERS

Ω
\Box
\sim

	PLUC	S AND AL	DAPTER	S	
lug—Material .		Length		Dep	th set
-Material		. Size			
	SHO	OOTING R	ÉCORD		
Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
	-Material	lug—Material	lug—Material Length Material Size SHOOTING R	lug—Material Length Material Size SHOOTING RÉCORD	-Material Size

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
				,		\

TOOLS USED

Rotary tools were used from Surra	ce feet to	6000 feet, and fron	ı feet to	feet
Cable tools were used from	feet to	feet, and from	i feet to	• feet
	DA	ATES		
T 1 T 4 1		5	W 6	. 60

Date P & A	19	Put to producing	May b	19 60
	,	1 8	(425)	,
The production for the first 24	hours was 690	. barrels of fluid of w	which 62% was	oil: %
110 p. od (2/0 f.)			22 -20	011,/0
The production for the first 24 emulsion; 38 % water; and%	sediment.	Gravity.	$_{\mathrm{B\acute{e}}}$ 38.5°	
omaision,/0 "ator, and/0	,	٠, ١٠٠٠		·

	EMPLOYEES	
- ,	Driller	

....., Driller

_____, Driller _____ FORMATION RECORD

FBOM-	то	TOTAL FEET	FORMATION
			At the end of complete Driller's Log add Geologic Tops. State whether from Electric Logs or samples.
			Electric Log Tops:
		2914	De Chelly
1		2984	Organ Rock
1		4821	Hermosa
		5656	Ismay
ļ		5788	Gothic Shale
		5802 (-815) Desert Creek
		5972	Chimney Rock
İ			
1			
		1	

(OVER)

THE SUPERIOR OIL CO.

P. O. Drawer G Cortez, Colorado

April 11, 1960

United States Department of the Interior Geological Survey P. O. Box 965 Farmington, New Mexico

Gentlemen:

Enclosed are corrected location plats for the Navajo 'C'

#31-32 well.

Yours truly,

D. D. Kingman

DDK/1bc

c: U OSGCC - P.O.Box 363 - Moab, Utah

INITIAL WELL TEST

McELMO CREEK UNIT #P-09

DATE	May 6, 1960
OIL BBL/DAY	429
OIL GRAVITY	38.5
GAS CU.FT/DAY	
GAS-OIL RATIO CU/FT/BBL	
WATER BBL/DAY	261
PUMPING/FLOWING	p
CHOKE SIZE	
FLOW TUBING PRESSURE	

THE SUPERIOR OIL COMPANY 36.55075% Injection Well - Area #1

McELMO CREEK UNIT #P-09 598' FNL, 2100' FEL Section 32, T40S, R25E San Juan County, Utah

FIELD:

GREATER ANETH

KB: 4987'

DF: 4986'

GL: 4975'

PBTD: 5961' TD: 6000' TLD: 10.00'

TOC: 4735'

SPUDDED:

4-4-60

COMPLETED: 5-6-60

INJECTION ZONE: Desert Creek Zones I, II

PERFS:

5803-46', 5858-68', 5878-94'

(4 jets/ft)

5912-17', 5920-24'

(2 jets/ft)

CASING:

8-5/8" 24# R-2 J-55 8R ST&C w/ 350 sx

22 jts

5-1/2" 14 & 15.5# R-2 J-55 8R ST&C w/300 sx 199 jts

60001

TUB ING:

185 jts 2-7/8" 6.5# J-55 8R EUE w/ TK-75 lining at 5727'.

PACKERS:


5-1/2" Baker Lok-set at 5717'.

PUMP' EQUIP: 'Injection equipment.

WELLHEAD:

6" Series 600 OCT Type T-16.

5-30-60	Perf'd 5803-46', 5858-68', 5878-94', treated w/ 9500 gals
	reg acid. Max pressure 2700#.
6/9-13/60	Squeezed all perfs, re-perf'd same intervals. Treated w/ 6000
	gal reg acid. Final pressure 1000#. On vac in 1 min.
12 - 30 -65	Perf'd 5912-17', 5920-24', treated w/ 400 gal 28% acid. Max
	pressure 2400#, ISIP O#. Converted to water injection.
2-20-66	Treated perfs w/ 15,000 gal 28% iron acid. Final pressure
	4500#. ISIP 950#.
8-10-79	Washed perfs w/ 107 bbls 28% HCL acid.
7/8-9/82	Replaced 4 jts tbg and set new Baker Lock-set packer at 5717'.



MCELMO CREEK UNIT
THE SUPERIOR OIL CO. OPERATOR
NW SE SEC.29, T40 S, R25 E.
SAN JUAN COUNTY, UTAH.
ELEV.5055' K.B. T.D.6014'

REV: 9.5-78

ATTACHMENT I

RULE I-5: Application for Approval of Class II Injection Wells

- (a) Well Data Sheets.
- (b) (1) Plat #1.

(2) Well Data Sheets.

(3) Well Data Sheets & Logs.

water sand.

**

- i. The average intervening thickness is 4000' between the existing injection interval and the deepest fresh
 - ii. Maximum Surface Pressure: 2800 psig. Maximum Rate: 4000 BWPD.

FORMATION	DEPTH	LITHOLOGY
Chinle DeChelly Organ Rock Hermosa Upper Ismay Lower Ismay Gothic Desert Creek Chimney Rock	1300' avg. 2350' avg. 2600' avg. 4400' avg. 5300' avg. 5370' avg. 5450' avg. 5460' avg.	Shale Sandstone Shale Limestone Limestone Limestone Shale Limestone Shale Shale

- (5)(i) A throttling valve is installed on the wellhead to control injection rates and pressures.
 - (ii) The source of injection water is Superior's production wells within the McElmo Creek Unit. The wells produce from the Ismay and Desert Creek formations with approximate depths of 5300' and 5460' respectively.
 - (iii) The analysis of injection water is as follows: (as parts per million).

PH: 6.5 Ca: 13770 ppm SO4: 25 ppm CL: 16700 ppm Mg: 11421 ppm H2S: 30 ppm Fe: 3 ppm HCO3: 109.8 ppm Sa: -

CaCO3: 18470 ppm CO3: - Specific

Gravity: 1.0553

McElmo Creek Unit

- (5) Cont.
 - (iv) The injection zones are the Ismay and Desert Creek formations. Both zones are carbonate formations consisting of limestone, anhydrite and dolomite. The formations extend throughout the Paradox Basin and are underlain by the Chimney Rock Shale and are overlain by the Hermosa Limestone.
 - (v) Fresh water zones (Morrison, Bluff, Entrada) range from 0 to 1300' with Entrada being the deepest and somewhat saline.
 - (vi) The analysis of formation water (Desert Creek) is as follows: (as parts per million).

 PH: 6.6

 Ca: 17410 ppm SO4: 33 ppm


 CL: 34800 ppm Mg: 11518 ppm H2S: 10 ppm

 Fe: 1.5 ppm HCO3: 48.8 ppm Ba:
 CaCO3: 22150 ppm CO3:
 Specific

 Gravity: 1.0902
- (6) To assure that injection is confined to intervals intended to receive the disposed water, wireline diagnostic surveys are run periodically to determine whether any escapement is taking place. If such information is discovered, the disposal well will be shut-in until proper measure can be taken. Casing pressure readings are made regularly to verify that no tubing or packer leaks have developed. If such leaks develop, the well will be shut-in until proper repairs can be made.
- (7) N/A.
- (3) The Division will be notified of the date and time to monitor the mechanical integrity test.
- (9) N/A.

Ž.

(10) N/A.



Form 9-331 b (April 1952)

32

(SUBMIT IN TRIPLICATE)


UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Agency
Window Rock
Allottee Navajo
Lease No. 14-20-603-37

SUND	RY NOTIC	ES AND REPO	ORTS ON WELI	_S
NOTICE OF INTENTION TO I	ORILL	SUBSPOUENT R	REPORT OF WATER SHUT-OFF]
NOTICE OF INTENTION TO C	HANGE PLANS		EPORT OF SHOOTING OR ACIDIZI	ĺ
NOTICE OF INTENTION TO T	EST WATER SHUT-OFF		REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO F	REDRILL OR REPAIR WEL		REPORT OF REDRILLING OR REPA	1
NOTICE OF INTENTION TO S	HOOT OR ACIDIZE	SUBSEQUENT R	REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO P	ULL OR ALTER CASING_	SUPPLEMENTAR	RY WELL HISTORY	X
NOTICE OF INTENTION TO A	ABANDON WELL			
	(INDICATE ABOVE BY CH	ECK MARK NATURE OF REPORT,	NOTICE, OR OTHER DATA)	
		=======================================	July 7	, 19 <u>60</u>
Navajo 'C' Well No. 31-32	is located 598	ft. from $\binom{N}{6}$ line and	2100 ft. from $\{E\}$ line	e of sec. <u>32</u>
NW NR Section (1/4 Sec. and Sec. No.)	32 40s	25B	SLBM (Meridian)	
		· - -	•	
McElmo Creek (Field)		San Juan (County or Subdivision)	Utah (State or Terr	
	h water cut, d		ths of proposed casings; indicate nosed work) on with Ismay Zone; d.	
6-9 -60	Squeezed peri	s 5803'-94' with	132 sacks Latex cen final pressure 350	
6-12-60	Treated perfs		,000 gallons regula	er acid.
6-13-60	in two equal		,000 gallons regula 200-gallon temporar	
6-17-60	Pumped 81 bar		rrel water in 24 ho	ours.
_		pproval in writing by the Geolo	ogical Survey before operations m	ay be commenced.
Company	gr.w.w.m.w.m			*************************************
Address P.O.Dr	awer 'G'		ONIGINAL SI D. B. KIN	
Cortez	, Colorado	I	ByD.Kingma	

Title___

Engineer



Fofm 9-331 (May 1963)	UNI STAT ARTMENI 🕳 THE		SUBMIT IN TRIPL: (Other instructions	. Budget	pproved. Bureau No. 42-R142 ATION AND SERIAL NO.
DEF	GEOLOGICAL SL		Of verse side)	14-20-0	603-372
	NOTICES AND RE			6. IF INDIAN, AL	LOTTEE OR TRIBE NAME
X OV	THORION FOR I DIMIT	- 101 such p	Toposais.	7. UNIT AGREEM	
	THER			McElmo 8. farm or leas	Creek .
The Superior Oil 3. Address of Operator	Company	· · · · · · · · · · · · · · · · · · ·		9. WELL NO.	
P. O. Drawer 'G' 4. LOCATION OF WELL (Report to See also space 17 below.) At surface 598' FNL, 2100' NW NE Sec. 32, To San Juan County,	FEL 40S, R25E) ace with any	State requirements.*	McElmo 11. SEC., T., E., N SURVEY OF	Creek Unit A., OR BLK. AND R AREA 2, T40S, R25E
14. PERMIT NO.	15. ELEVATIONS (Sho			12. COUNTY OR :	PARISH 13. STATE
16. Ch	Annonyieta Ray Ta	4987 ¹	KB Vature of Notice, Report, or		an Ctan
	F INTENTION TO:	marcare j		QUENT REPORT OF:	
TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL	PULL OR ALTER CASING MULTIPLE COMPLETE ABANDON* CHANGE PLANS		WATER SHUT-OFF FRACTURE TREATMENT SHOOTING OR ACIDIZING (Other) (NOTE: Report result	ALTEI	RING WELL RING CASING DONMENT*
nent to this work.) *	CTED OPERATIONS (Clearly stat- directionally drilled, give sul		Completion or Recom t details, and give pertinent date tions and measured and true verti		
Perforate 59 Set packer a	et well to water in 12-17', 5920-24' at 5765' on plasting with 15,000 gallor jection.	c lined	2-7/8" tubing.		
			·		
APPROVED BY UTAK CONSERVATION CO	MMISSION				
DATE: 12/30/65	by Paul & Bara	bel			
0202122	A. T.	TITLE	Production Engineer	DATE	12/16/65
(This space for Federal or S APPROVED BY CONDITIONS OF APPROVA	tate office use)	ritle		DATE	

-				OFFICE AND AND ADDRESS OF THE PARTY OF THE P			
Form 9-331 (May 1963)		UNTITED STAT		/Athan Instance	RIF TE*		ureau No. 42-R14
\times	•	MENT OF THE		ノベ verse side)		5. LEASE DESIGNAT	
	G	SEOLOGICAL SU	JRVEY		· · · · · · · · · · · · · · · · · · ·	14-20-60 6. IF INDIAN, ALLO	
Z ¹ sui	NDRY NOT	ICES AND RE	PORTS O	N WELLS		d. IF INDIAN, ALLO	TIES OR TRIBS NAS
		als to drill or to deep TION FOR PERMIT			ervoir.		
1.	Use AFFLICA	TION FOR LEMMI	- IOI such pro	promise, /		Navajo	r name
OIL GAS					[
WELL WELL 2. NAME OF OPERATOR	OTHER	Water Inject	ion			McElmo Cr 8. FARM OR LEASE	NAME
		1 (-	•		İ	4	•
3. ADDRESS OF OPERAT	Superior Oi	1 CO. /				9. WELL NO.	
D (O. Drawer "	GII Cortes	. Colora	do		P-09	***
4. LOCATION OF WELL See also space 17 be	(Report location cl	learly and in accordan	ice with any S	tate requirements.*		10. FIELD AND POO	L, OR WILDCAT
A A	598'FNL 210	O'FEL		•		McE1mo	Creek Unit
		2, T40S,R25E				11. SEC., T., R., M., SURVEY OR	OR BLK. AND
	San Juan Co						
						Sec 32, T4	OS , R25E
14. PERMIT NO.		15. ELEVATIONS (Sho	w whether DF, 1	RT, GR, etc.)	,	12. COUNTY OR PAI	RISH 13. STATE
		4987	KB		.	San Juan	Ut ah
16.	Check Ar	propriate Box To	Indicate No	iture of Notice, F	Report, or O	ther Data	
	NOTICE OF INTEN	-	1	•		ENT REPORT OF:	
				_:		7	NG WELL
TEST WATER SHUT		PULL OR ALTER CASING	' 	WATER SHUT-O		4	IG CASING
FRACTURE TREAT	'	MULTIPLE COMPLETS	 	SHOOTING OR		ABANDO	
					ICAD INSTITU		
SHOOT OR ACIDIZE		ABANDON*			wert to	water inject	
(Other) 17. DESCRIBE PROPOSED proposed work. nent to this work	OR COMPLETED OPE If well is direction.)*	CHANGE PLANS CRATIONS (Clearly state on ally drilled, give su 2-17, 5920-21	'+' w/2 je	(Other) Cor (Nors: 1 Completi details, and give pens and measured ar	lon or Recomple	water in ect of multiple complet tion Report and Lo including estimated i depths for all man	g torm.)
(Other) 17. DESCRIBE PROPOSED proposed work. nent to this work Per Aci	OR COMPLETED OPE If well is direction.)* forated 591 dized perfs Taylor tub	CHANGE PLANS RATIONS (Clearly statemally drilled, give suited) 2-17, 5920-24 5912-24 w/44 De seal lined	4' w/2 je 00 gals 2	(Other) Correction (Norm: 1 Complete details, and give pens and measured are ts per ft.	ion or Recomple ertinent dates, ad true vertical	including estimated	g torm.)
(Other) 17. DESCRIBE PROPOSED proposed work. nent to this work Per Aci	OR COMPLETED OPE If well is direction.)* forated 591 dized perfs Taylor tub	CHANGE PLANS CRATIONS (Clearly statemally drilled, give suitable) 2-17, 5920-24 5912-24 w/44	4' w/2 je 00 gals 2	(Other) Correction (Norm: 1 Complete details, and give pens and measured are ts per ft.	ion or Recomple ertinent dates, ad true vertical	including estimated	g torm.)
(Other) 17. DESCRIBE PROPOSED proposed work. nent to this work Aci	OR COMPLETED OPE If well is direction.)* forated 591 dized perfs Taylor tub	CHANGE PLANS RATIONS (Clearly statemally drilled, give suited) 2-17, 5920-24 5912-24 w/44 De seal lined	4' w/2 je 00 gals 2	(Other) Correction (Norm: 1 Complete details, and give pens and measured are ts per ft.	ion or Recomple ertinent dates, ad true vertical	including estimated	g torm.)
(Other) 17. DESCRIBE PROPOSED proposed work. nent to this work Aci	OR COMPLETED OPE If well is direction.)* forated 591 dized perfs Taylor tub	CHANGE PLANS RATIONS (Clearly statemally drilled, give suited) 2-17, 5920-24 5912-24 w/44 De seal lined	4' w/2 je 00 gals 2	(Other) Correction (Norm: 1 Complete details, and give pens and measured are ts per ft.	ion or Recomple ertinent dates, ad true vertical	including estimated	g torm.)
REPAIR WBLL (Other) 17. DESCRIBE PROPOSED proposed work. nent to this work Per Aci	OR COMPLETED OPE If well is direction.)* forated 591 dized perfs Taylor tub	CHANGE PLANS RATIONS (Clearly statemally drilled, give suited) 2-17, 5920-24 5912-24 w/44 De seal lined	4' w/2 je 00 gals 2	(Other) Correction (Norm: 1 Complete details, and give pens and measured are ts per ft.	ion or Recomple ertinent dates, ad true vertical	including estimated	g torm.)
REPAIR WELL (Other) 17. DESCRIBE PROPOSED proposed work. nent to this work Per Aci	OR COMPLETED OPE If well is direction.)* forated 591 dized perfs Taylor tub	CHANGE PLANS RATIONS (Clearly statemally drilled, give suited) 2-17, 5920-24 5912-24 w/44 De seal lined	4' w/2 je 00 gals 2	(Other) Correction (Norm: 1 Complete details, and give pens and measured are ts per ft.	ion or Recomple ertinent dates, ad true vertical	including estimated	g torm.)
(Other) 17. DESCRIBE PROPOSED proposed work. nent to this work Aci	OR COMPLETED OPE If well is direction.)* forated 591 dized perfs Taylor tub	CHANGE PLANS RATIONS (Clearly statemally drilled, give suited) 2-17, 5920-24 5912-24 w/44 De seal lined	4' w/2 je 00 gals 2	(Other) Correction (Norm: 1 Complete details, and give pens and measured are ts per ft.	ion or Recomple ertinent dates, ad true vertical	including estimated	g torm.)
(Other) 17. DESCRIBE PROPOSED proposed work. nent to this work Aci	OR COMPLETED OPE If well is direction.)* forated 591 dized perfs Taylor tub	CHANGE PLANS RATIONS (Clearly statemally drilled, give suited) 2-17, 5920-24 5912-24 w/44 De seal lined	4' w/2 je 00 gals 2	(Other) Correction (Norm: 1 Complete details, and give pens and measured are ts per ft.	ion or Recomple ertinent dates, ad true vertical	including estimated	g torm.)
(Other) 17. DESCRIBE PROPOSED proposed work. nent to this work Aci	OR COMPLETED OPE If well is direction.)* forated 591 dized perfs Taylor tub	CHANGE PLANS RATIONS (Clearly statemally drilled, give suited) 2-17, 5920-24 5912-24 w/44 De seal lined	4' w/2 je 00 gals 2	(Other) Correction (Norm: 1 Complete details, and give pens and measured are ts per ft.	ion or Recomple ertinent dates, ad true vertical	including estimated	g torm.)
(Other) 17. DESCRIBE PROPOSED proposed work. nent to this work Aci	OR COMPLETED OPE If well is direction.)* forated 591 dized perfs Taylor tub	CHANGE PLANS RATIONS (Clearly statemally drilled, give suited) 2-17, 5920-24 5912-24 w/44 De seal lined	4' w/2 je 00 gals 2	(Other) Correction (Norm: 1 Complete details, and give pens and measured are ts per ft.	ion or Recomple ertinent dates, ad true vertical	including estimated	g torm.)
(Other) 17. DESCRIBE PROPOSED proposed work. nent to this work Aci	OR COMPLETED OPE If well is direction.)* forated 591 dized perfs Taylor tub	CHANGE PLANS RATIONS (Clearly statemally drilled, give suited) 2-17, 5920-24 5912-24 w/44 De seal lined	4' w/2 je 00 gals 2	(Other) Correction (Norm: 1 Complete details, and give pens and measured are ts per ft.	ion or Recomple ertinent dates, ad true vertical	including estimated	g torm.)
(Other) 17. DESCRIBE PROPOSED proposed work. nent to this work Aci	OR COMPLETED OPE If well is direction.)* forated 591 dized perfs Taylor tub	CHANGE PLANS RATIONS (Clearly statemally drilled, give suitable) 2-17, 5920-24 5912-24 w/40 see seal lined	4' w/2 je 00 gals 2	(Other) Correction (Norm: 1 Complete details, and give pens and measured are ts per ft.	ion or Recomple ertinent dates, ad true vertical	including estimated	g torm.)
(Other) 17. DESCRIBE PROPOSED proposed work. nent to this work Aci	OR COMPLETED OPE If well is direction.)* forated 591 dized perfs Taylor tub	CHANGE PLANS RATIONS (Clearly statemally drilled, give suitable) 2-17, 5920-24 5912-24 w/40 see seal lined	4' w/2 je 00 gals 2	(Other) Correction (Norm: 1 Complete details, and give pens and measured are ts per ft.	ion or Recomple ertinent dates, ad true vertical	including estimated	g torm.)
(Other) 17. DESCRIBE PROPOSED proposed work. nent to this work Aci	OR COMPLETED OPE If well is direction.)* forated 591 dized perfs Taylor tub	CHANGE PLANS RATIONS (Clearly statemally drilled, give suitable) 2-17, 5920-24 5912-24 w/40 see seal lined	4' w/2 je 00 gals 2	(Other) Correction (Norm: 1 Complete details, and give pens and measured are ts per ft.	ion or Recomple ertinent dates, ad true vertical	including estimated	g torm.)
(Other) 17. DESCRIBE PROPOSED proposed work. nent to this work Per Aci	OR COMPLETED OPE If well is direction.)* forated 591 dized perfs Taylor tub	CHANGE PLANS RATIONS (Clearly statemally drilled, give suitable) 2-17, 5920-24 5912-24 w/40 see seal lined	4' w/2 je 00 gals 2	(Other) Correction (Norm: 1 Complete details, and give pens and measured are ts per ft.	ion or Recomple ertinent dates, ad true vertical	including estimated	g torm.)
REPAIR WELL (Other) 17. DESCRIBE PROPOSED proposed work. nent to this work Per Aci	OR COMPLETED OPE If well is direction.)* forated 591 dized perfs Taylor tub	CHANGE PLANS RATIONS (Clearly statemally drilled, give suitable) 2-17, 5920-24 5912-24 w/40 see seal lined	4' w/2 je 00 gals 2	(Other) Correction (Norm: 1 Complete details, and give pens and measured are ts per ft.	ion or Recomple ertinent dates, ad true vertical	including estimated	g torm.)
REPAIR WELL (Other) 17. DESCRIBE PROPOSED proposed work. nent to this work Per Aci	OR COMPLETED OPE If well is direction.)* forated 591 dized perfs Taylor tub	CHANGE PLANS RATIONS (Clearly statemally drilled, give suitable) 2-17, 5920-24 5912-24 w/40 see seal lined	4' w/2 je 00 gals 2	(Other) Correction (Norm: 1 Complete details, and give pens and measured are ts per ft.	ion or Recomple ertinent dates, ad true vertical	including estimated	g torm.)
(Other) 17. DESCRIBE PROPOSED proposed work. nent to this work Per Aci Ran Pla	or completed ope if well is direction.)* forated 591 dized perfs Taylor tub ced on inje	CHANGE PLANS CRATIONS (Clearly State of the content of the conten	4' w/2 je 00 gals 2	(Other) Correction (Norm: 1 Complete details, and give pens and measured are ts per ft.	ion or Recomple ertinent dates, ad true vertical	including estimated	g torm.)
(Other) 17. DESCRIBE PROPOSED Proposed work. nent to this work Aci Ran Pla	or completed ope if well is direction.)* forated 591 dized perfs Taylor tub ced on inje	change Plans (Clearly Statemally drilled, give sure 5912-24 w/4) e seal lined ection 1/7/66	+' w/2 je 00 gals 2 2 7/8" t	(Other) _Cor (Nors: 1 Completi details, and give pens and measured at its per ft. 8% acid. bg. with pac	cker @ 57	including estimated i depths for all many control of the state of the	date of starting rivers and zones per starting rivers and zones pe
(Other) 17. DESCRIBE PROPOSED proposed work. nent to this work Per Aci Ran Pla	or completed ope if well is direction.)* forated 591 dized perfs Taylor tub ced on inje	change Plans (Clearly Statemally drilled, give sure 5912-24 w/4) e seal lined ection 1/7/66	+' w/2 je 00 gals 2 2 7/8" t	(Other) Correction (Norm: 1 Complete details, and give pens and measured are ts per ft.	cker @ 57	including estimated i depths for all man long as the same property of th	g torm.)
(Other) 17. DESCRIBE PROPOSED proposed work. nent to this work Per Aci Ran Pia	or completed ope if well is direction of the forested 591 dized perfs. Taylor tub ced on injection injecti	change Plans (Clearly statemally drilled, give sure and correct arguments)	+' w/2 je 00 gals 2 2 7/8" t	(Other) _Cor (Nors: 1 Completi details, and give pens and measured at its per ft. 8% acid. bg. with pac	cker @ 57	including estimated i depths for all many control of the state of the	date of starting rivers and zones per starting rivers and zones pe
(Other) 17. DESCRIBE PROPOSED proposed work. nent to this work Per Aci Ran Pla 18. I hereby certify the SIGNED D. D. D. D.	or completed ope if well is direction of the forested 591 dized perfs. Taylor tub ced on injection injecti	change Plans (Clearly state on ally drilled, give sure and correct of the correc	+' w/2 je 00 gals 2 2 7/8" t	(Other) _Cor (Nors: 1 Completi details, and give pens and measured at its per ft. 8% acid. bg. with pac	cker @ 57	including estimated i depths for all many control of the state of the	date of starting rivers and zones per starting rivers and zones pe

Form 9-331 6.77 TED ST	ATES SUBMIT IN TRANSPORTER	Form approved. Budget Bureau No. 42-R1424.
DEPARTMENT OF THE	HE INTERIOR (Other instructions on re-	5. LEASE DESIGNATION AND SERIAL NO. 14-20-603-372
GEOLOGICAL	SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND F (Do not use this form for proposals to drill or to or Use "APPLICATION FOR PERM		Navajo
1. OIL GAS TAMED TO	NITECTION	7. UNIT AGREEMENT NAME McElmo Creek Unit
WELL WELL OTHER WATER IN	NJECTION	8. FARM OR LEASE NAME
THE SUPERIOR OIL COMPANY		
3. ADDRESS OF OPERATOR		9. WELL NO.
P. O. DRAWER 'G', CORTEZ, COLORAI	DO	P-09
 LOCATION OF WELL (Report location clearly and in accor See also space 17 below.) 	dance with any State requirements.*	10. FIELD AND FOOL, OR WILDCAT McElmo Creek
At surface 598' FNL and 2100' FEL		11. SEC., T., R., M., OR BLK. AND
NW NE SEC. 32, T40S, R251	E	SURVEY OR AREA
SAN JUAN COUNTY, UTAH		Sec. 32, T40S, R25E
14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4987 KB	12. COUNTY OR PARISH 13. STATE San Juan Utah
16. Check Appropriate Box	To Indicate Nature of Notice, Report, or C	Other Data
NOTICE OF INTENTION TO:	SUBSEQU	JENT REPORT OF:
TEST WATER SHUT-OFF PULL OR ALTER CAS	SING WATER SHUT-OFF	REPAIRING WELL
FRACTURE TREAT MULTIPLE COMPLET		ALTERING CASING
SHOOT OR ACIDIZE ABANDON*	NEXING ACIDIZING X	ABANDONMENT*
REPAIR WELL CHANGE PLANS (Other)	(Other) (NOTE: Report results	of multiple completion on Well etion Report and Log form.)
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly s proposed work. If well is directionally drilled, give nent to this work.)* Treated well with 15,000 gallons		
salt plug between stages.		
Peturod reall to injection		
Returned well to injection.		
18. I hereby certify that the foregoing is true and correct	Description Provinces	DATE 3/15/66
SIGNED D. Kingman	TITLE Production Engineer	DYAE
(This space for Federal or State office use)		
APPROVED BYCONDITIONS OF APPROVAL, IF ANY:	TITLE	DATE

MJE/njh

Form 9-331 U	NI' STATES	SUBMIT IN TRIPLIC	Form approved. Budget Bureau No. 42-R1424. 5. LEASE DESIGNATION AND SERIAL NO.
	ENT OF THE INTERIOR	≺ verse side)	14-20-603-372
//	ES AND REPORTS ON	WELLS to a different reservoir.	6. IF INDIAN, ALLOTTEE OR TRIBE NAME Navajo
OIL GAS OTHER	Water Injection Well		7. UNIT AGREEMENT NAME McFlmo Creek Unit 8. FARM OR LEASE NAME
The Superior Oil Compa	iny		9. WELL NO.
P. O. Drawer 'G', Cort	cez, Colorado 81321		MCU #P-09
4. LOCATION OF WELL (Report location clear See also space 17 below.) At surface	arly and in accordance with any Sta	te requirements.*	10. FIELD AND POOL, OR WILDCAT MCFIMO Creek Field 11. SBC., T., R., M., OR BLK. AND BURNEY OR AREA
598' FNL & 2100' FEL, Sec			NW NE Sec. 32, T40S, R25E
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT 4987		San Juan Utah
16. Check App	propriate Box To Indicate Nat		
NOTICE OF INTENT	ION TO:		QUENT REPORT OF:
FRACTURE TREAT	ULTIPLE COMPLETE	WATER SHUT-OFF FRACTURE TREATMENT SHOOTING OR ACIDIZING	REPAIRING WELL ALTERING CABING ABANDONMENT®
REPAIR WELL CH	HANGE PLANS	Completion of Recom	ts of multiple completion on Weil pletion Report and Log form.)
 DESCRIBE PROPOSED OR COMPLETED OPER proposed work. If well is direction nent to this work.) 	ATIONS (Clearly state an pertinent of ally drilled, give subsurface location	as and measured and true verti	s, including estimated date of starting any leal depths for all markers and sones perti-
perfs with 1000 1800 psi in 1 h perfs at 3 BPM psi, 15 min SIF) gals P-121 formation nour. Displaced 1000 with 2550 psi. Max a	n cleaner at 1 BPM gals 15% double in and FP 2550 psi. 1 hr flowed back 100	to 4000 psi. Treated all with 2050 psi. Bled to whited iron acid thru ISIP 2300 psi, 15 min SIP 215 bbl fluid. Replaced meter
Injection prior to stimul	ation 325 BWPD.		License Licens
Injection subsequent to 1	treatment - 425 BWPD		
			The state of the s
			ルト・1 (1) (2) (2) (2) (2) (2) (3) (3) (3) (3) (3) (3) (3) スト・スティー 第 者組み起いると、ことはなっている。
· · · · · · · · · · · · · · · · · · ·			
SIGNED		strict Engineer	DATE5/9/73
D. D. Kingman (This space for Federal or State office	ee use)		
APPROVED BY	NY:		DATE
OGC/nh			

cc: State, USGS, Franques, Mosley See Instructions on Reverse Side Hurlbut, WIO, File

Mobil Oil Corporation

P.O. BOX 5444 DENVER, COLORADO 80217-5444

May 14, 1986

Utah Board of Oil, Gas and Mining 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

Attn: R. J. Firth

Associate Director



DIVISION OF OIL, GAS & MINING

SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with <u>Mobil Exploration and Producing North America Inc. (MEPNA)</u>, which is also a wholly cwned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,

CNE/rd CNE8661 R. D. Baker Environmental Regulatory Manager

garage of the control

WESTERN REGULATORY WELL COMPLIANCE DATA FILE (PAGE 1 OF 2) FOR THE CORTEZ SUPERVISOR AREA FOR THE GREATER ANETH FIELD 05/13/86

						5				
PROPERTY NAME	WELL NAME	COUNTY	STATE	SEC TWASHP RNG	TYPE	A T	API NUMBER	FEDERAL LEASE NUMBER	STATE NUMBER	UNIT HUMBER
MC ELMO CREEK	N-11	MAUL MAZ	UT	NW SE 32-408-25E	LMI	OP	43-037-15965	14-20-603-372		96-004190
	N-13	MAUL MAZ	UT	NW NW 05-415-25E	INJ	0P	43-037-15966	14-20-603-372		96-004190
	N-15	SAN JUAN	UT	SW NW 05-415-25E	INJ	OP	43-037-05671	14-20-603-372		96-004190
	N-17	MAUL MAZ	UT	NW NW 08-415-25E	INJ	OP	43-037-05597	14-20-603-263		96-004190
	N-19~	SAN JUAN	UT	NW SW 08-415-25E	LKI	OP	43-037-05540	14-20-603-253		96-004199
	N-21 W	MAUL MAS	UT	NU NU 17-413-25E	INJ	GP	43-037-05492	14-20-693-263		96-604190
	N-23 🗸	MAUL MAZ	UT	NW SW 17-415-25E	INJ	QP	43-037-16364	14-20-603-263	-	96-004190
	0-12	SAN JUAN	UT	SE SW 32-40S-25E	LWI	OP	43-637-16371	14-20-603-372		96-004190
	8-14 🗸	HAUL HAZ	UT	SE NW 05-415-25E	LNJ	OF	43-037-16365	14-20-693-372		76-004199
	0-16	SAN JUAN	UT	SE SW 05-415-25E	LWI	OP	43-037-15969	14-20-603-372		96-664196
	0-18	SAN JUAN	TU	SE NW 08-415-25E	INJ	OP	43-037-05585	14-20-603-263		76-094170
	P-07 🗸	HAUL HAZ	UT	NW SE 29-403-25E	LKI	GP	43-037-05828	I-149-IND-8839-A		96-604190
	F-09 🗸	NAUL NAZ	ÚT	NW NE 32-408-25E	IiiJ	J?	43-037-16367	14-20-603-372		96-094190
	P-11 V	SAN JUAN	UT	NW SE 32-405-25E	LNI	OF	43-037-15971	14-20-603-372		96-004190
	P-13 🗸	SAN JUAN	UT	NU NE 05-415-25E	IHJ	OF	43-037-16368	14-20-603-372		96-004199
	P-15	SAN JUAN	UT	NW SE 05-413-25E	INJ	GF	43-637-16340	14-20-603-372		96-004190
	P-17	SAN JUAN	UT	NW NE 08-415-25E	LNJ	OF) 4 3 -037-15976	14-20-603-263		96-004190
		SAN JUAN	UT	NW SE 08-415-25E	INJ	OF	43-037-05555	14-20-603-263		96-004190
		SAN JUAN	UT	NW NE 17-418-25E	LĸI	O?	9 43- 0 37- 0 5487	14-20-603-263		96-004190
	P-23 ✓	SAN JUAN	UT	NW SE 17-41S-25E	INJ	GF	° 43-037-16370	14-20-603-263		96-004196
	Q-12	NAUL MAZ	UT	SE SE 32-40S-25E	IHJ	0	9 43-03 7-05720	14-20-603-372		96-004199
	Q-14 V	SAN JUAN	UΤ	SE NE 05-415-25E	INJ	07	9 43-037-15 974	14-20-603-372		96-004190
	Q-16	NAUL NAZ	UT	SE SE 05-41S-25E	INJ	06	9 43-037-15975	:4-20-693-372		96-004190
		SAN JUAN	UT	NU SW 33-408-25E	INJ		I 43-037-05741	14-20-603-2057		96-004190
		SAN JUAN	IJŢ	MU SW 33-408-25E	INJ	ij.	P 43-037-39179	14-20-603-2057		96-004199
	R-13✓	SAN JUAN	UT	HU NU 04-415-25E	INJ	Ü	P 43-037-05709	14-20-603-2057		96-004190
		SAN JUAN	UT	114 NU 09-418-25E	LNJ	01	P 43-037-05401	2 14-20-603-359		96-004190
		SAN JUAN	UT	NU SU 09-415-25E	IMJ	Gl	F 43-037-0555	1 14-20-603-359		96-004190
		SAN JUAN	UT	NU-NU 16-415-25E	LNI	0	P 43-037-1637	4 14-20-603-359		96-094190
•	R-23 V	KAUL MAZ	UT	NU SU-16-415-25E	INJ	Si	P 43-037-1597)	7 14-20-603-357		76-004190

UTAH DIVISION OF OIL, GAS AND MINING CASING-BRADENHEAD TEST

OPERATOR:	MEP	NA				
FIELD: <u>6-reate</u>	er A	neth		LEASE:	MEELING Cree	<u>k</u>
WELL #	P - 09	? Nave	31-32	SEC. 32	TOWNSHIP 40 S RANG	E 25 E
STATE FED. F	EE DEPI				MAX. INJ. PRES	s. 2800 psi
TEST DATE	9/9/8	- •			MAX RATE	4000 BW
CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
SURFACE	85/8	645	350 5x	<u>6</u> H	Blew down w/	
INTERMEDIATE PRODUCTION	51/2	6000	300 5x	0#	um	
TUBING 5"2" Baker	27/8 Lok-s	5727 set at	<u></u> 5717	1700#	Pross. taken off blowdown ve	1910 e
CASING STRING SURFACE	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
INTERMEDIATE				,		
PRODUCTION		-				· ·
TUBING						
CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
SURFACE		•				
INTERMEDIATE						
PRODUCTION						
TUBING						A

CHECKLIST FOR INJECTION WELL APPLICATION AND FILE REVIEW

nty: <u>San</u> Well	/	T <u>405</u> R <u>26</u>				
				YE	<u>.s</u>	<u>NO</u>
UIC For	ns Completed					
Plat in and w	cluding Surf ells of avai	ace Owners. Le latle record	eseholde	rs, <u> </u>	_	<u>*</u>
Schemat	io Diagram			. •		
Fractur	e Informatio	n .				
Pressur	e and Rate C	ontrol			_	
Adequat	e Geologic I	nformation				 .
Fluid S	ource			Dese	Alreck	
Analysi	s of Injecti	on Fluid	Yes	V No		60,000
Analysi to be	s of Water i injected in	n Formation to	ves .	✓ No'		70,000
Known U	SDW in area		Marajo.	- Shinle :	Depth 13	
Number	of wells in	area of review	16	_ Prcd	<u>4</u> P&A	. 1.
				Water	O Inj	
Aquifer	Exemption		Yes	NA NA		
្អ Mechani	cal Integrit	y Test	Yes	No	··················	
7.			Date	10-27-84	Type Wal	In France C
mments:						
						_

Reviewed by:

Form 3160-5 (December 1989)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: September 30, 1990

5. Lease Designation and Serial No.

7. If Unit or CA. Agreement Designation

14-20-603-372 6. If Indian, Allottee or Tribe Name

Navajo Tribal

SUBMIT I	N TRIPLICATE OCT 18 1	McElmo Creek Unit
1. Typ2 of Well Oil Gas		8. Well Name and No.
Well Well Wolfer Injection	Welf	P-09
2. Name of Operator MOBIL OIL CORPORATION	We Was a way	9. API Well No.
3. Address and Telephone No. % MOBIL EXPLOAT.	ION & PRODUCING U.S. INC.	43 <u>-037-16367</u>
P.O. BOX 633, MIDLAND, TX 797	702	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey Desc	ription)	Greater Aneth
598' FNL 2100' FEL Sec. 32	T40S R25E	San Juan, Utah
CHECK APPROPRIATE BOX(S)	TO INDICATE NATURE OF NOTICE	, REPORT, OR OTHER DATA
TYPE OF SUBMISSION		ACTION
	Abandonment	Change of Plans
☐ Notice of Intent	Recompletion	New Construction -
Subsequent Report	Plugging Back	Non-Routine Fracturing
22.1 Subsequent Report	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection NVersion to CO2
	(Note: R	eport results of multiple completion on Well Completion or
13. Describe Proposed or Completed Operations (Clearly state all	Recomple	etion Report and Log form.)
to 1200# psi/Held/OK D-1-90 RIH w/ tbg & pkr & set@57 RDMO Return well to prod		/Held/OK/30 min
14. I hereby certify that the foregoing is true and correct	MOBIL EXPLORATION & PRODU	ICING U.S. INC.
Signed Shula Jodd (915) 688-25		Date
(This space for Federal or State office use)		
Approved by	Title	Date
Conditions of approval, if any:		
		Cataliand Space and false fictingus or fraudulent states
Title 18 U.S.C. Section 1001, makes it a crime for any person	knowingly and willfully to make to any department or agen-	cy of the United States any laise. Heatings of the
or representations as to any matter within its jurisdiction.	*See Instruction on Reverse Side	-
	*See instruction on Reverse Side	•

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.

14-20-603-372

6. If Indian, Allottee or Tribe Name

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT—" for such proposals

NAVAJO TRIBAL

SUBMIT	7. If Unit or CA, Agreement Designation MCELMO CREEK UNIT	
1. Type of Well Oil Gas Well X Other INJECTION 2. Name of Operator MOBIL OIL CORPORATION		8. Well Name and No. P-09 9. API Well No.
3. Address and Telephone No. P.O. BOX 633, MIDLAND, TX 79702	(915) 688-2585	43-037-16367 10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey D. 598' FNL; 2100' FEL	Sec 31 T405 R25E	GREATER ANETH 11. County or Parish, State SAN JUAN, UTAH
12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment Recompletion	Change of Plans New Construction
Subsequent Report Final Abandonment Notice	Plugging Back Casing Repair Altering Casing Other	Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form)
13. Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vertically state and true vertically	I all pertinent details, and give pertinent dates, including estimated date of starti- cal depths for all markers and zones pertinent to this work.)*	

SEE ATTACHMENT

ACCEPTED TO THE CONTROL OF THE STATE OF THE

PERMINED

IAN 03 1994

DIVISION OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct Signed S BOLLY SHIRLEY TODD	Title ENVIR. & REG. TECH	Date 12/29/93
(This space for Federal or State office use)		
Approved by Enderal Approval of this Conditions of approval, if any: Action is Necessary	Title	Date

Tide 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

McElmo Creek Unit P-09 Workover Procedure

- 1. Dig, line and fence a 100+ bbl earth pit. MIRU coiled tubing unit with 1-1/4" coiled tubing. MI Standby Safety Services (303/565-6391) having 5 Scott 30 minute airpacks, five minute escape packs for all coiled tubing/acid stimulation crew, personal H2S monitors for all personnel on location, and one safety man. Acid stimulation company to provide eye wash station. Hook up coiled tubing to water injection line. Lay flow line from wing valve to a choke manifold having two adjustable chokes. Lay flowline from choke manifold to earth pit. Stake and chain flowline down. PT coiled tubing to 6000 psi using injection water.
- 2. RIH with 1-1/4" coiled tubing with perforation wash nozzle and CO to PBTD at 5961' using injection water at maximum circulating rate at maximum circulating pressure of 5000 psi. If unable to CO fill using injection water, attempt to clean out fill using 10 bbl of 15 percent HCL acid containing 2 gals/mgals corrosion inhibitor, and 10 lbs/mgals iron sequestering agent, neutralizing any unspent acid that returns to pit. If unsuccessful in cleaning well out, POH, RIH with 1-3/4" dynadrill on 1-1/4" coiled tubing and drill out fill. FOH.
- 3. MIRU wireline unit with lubricator. Turn off all radios/cellular telephones on location and post warning signs for radio/cellular telephone silence for all roads within 100 yards of location. RIH with 1-11/16" magnetically decentralized hollow steel carrier perforating guns loaded with 3.2 gram RDX charges at 4 SPF, 0 degree phasing and perforate 5860'-5890' and 5815'-5846'. POH. RDMO wireline.
- 4. RU coiled tubing. Pickle coiled tubing with 3 bbls of 15 percent HCL acid, reverse out to pit and neutralize. RIH with 1-1/4" coiled tubing with perforation wash nozzle and spot 5 bbls of xylene across perforations. Let soak for 1 hour. Displace with fresh water. Wash perforations at 5860'-5890' and 5815'-5846' without taking returns using 2 bbls/ft of 15 percent HCL acid. NOTE: All acid pumped into well to contain 2 gals/mgals corrosion inhibitor, and 10 lbs/mgals iron sequestering agent. Pump rate should be maximum injection rate at 5000 psi surface injection pressure. Overdisplace acid using fresh water. POH. RDMO coiled tubing unit and all surface equipment.
- Pump out and backfill pit. Turn well over to production leaving well shut in.

Mobil Oil Corp


Rervice Center, Inc. 900 Sandstone A

505-327-5449 Office

Farmington, New M

	DATE	0/01	190 WELL NO P-09	- LEAS	e l	McElma Creek Walt KB Le
П	T F . T	1				
		-				
11			2 10 EL	<u>Cenear</u>	نکت	ned Tubing = 100387 BALLET
j			17/0 1	54 A-	1.5.i.	145 =,02441 BAL/FT
1 11			1 Joint 2718 C.L. Tubing			
i]		<u> </u>	Tubing Sub Cab.	10	"	
			Tubing Sub C.L.	10	77	
			178 pinte 2 VE EU Coment	56.47	01	5720' 278EU C.L Tubing = 23.11 A
· •		•	Lived Tubine			5720' 248 X St. Annalus = 93.51 4
			New Style w/ Tarque Kings	 		Total Valume to Packers 115.62;
			;	<u> </u>		10/01
				· · · · · · · · · · · · · · · · · · ·		Test. Tripin The hole.
						Super "A" Thread Sedant weed
						all Connection. Tarqued MA IRE
						over Bumping Terque Sing
5705.20		i i				Ser locker Expel lump out
		ļ —	278EU Pin X 2 YOL W BOX X-OUT	<u>,</u>	25	STrip off BOD Instal Wrap'A'S
5709.95	┩ ┝╗		3/4 5.5.	·	 -	o well bread fump 120 Abl for
11.	1 1.5		374 x 2 70 x 1. 81 "F" HEL ON-OFF	/		Fluid . Accounter HEL . Open No.
5711.80	1 1		700/ 3/6 6.S.		-	Tour Anales To 1000 per 30 min
	X		Model "B" Shur off Volus			Acady for Injection
57/3.30	7	<u> </u>	925 Income!		†	Heavy Fir Jay Cellina
1			45A Inversed Lok-ser		90	
5720.20	Δ		W/6/E System 225 Intely			
	_		5803-46' 5858-68'	400	40	
上	3	Ē	5878 -94' 59/2-171	57/4	20	
丰	=	ŧ	5920-24'		100	
1	-	Į.		5720	20	
ŧ	,	}				
‡	3	ŧ			+	
			HOOK Load = 42 7 Sant Hole Des	<u>, </u>	+	
			34,200 % Hale Ful			
19	BTD	•				
5	7961	-			-	
. •	•		·		-	
					+-	
			15000 N \$ = 19" Slack off		ţ.	

PROFILE HISTORY McElmo Creek Unit P-09



• עמטשבות מובשטשע

PROFILE	HIS										_		 0.070 M-1
DATE UPIS 6603 8010 8410	LISA		99.0 93.1 96.9 40.0		1 LSWB2	6.9	••••	DC2C	DC2D	DC2E		DC3B	3. 35.
9106	20.0	J.U	70.0										


Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR

	63	-	-
1	್	14	1

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

BUREAU OF LAND MANAGEMENT 5. Lease Designation and Serial No. 14-20-603-373 SUNDRY NOTICES AND REPORTS ON WELLS 6. If Indian, Allottee or Tribe Name Do not use this form for proposals to drill or to deepen or reentry to a different askin willing NAVAJO TRIBAL Use "APPLICATION FOR PERMIT - " for such proposals 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE MCELMO CREEK UNIT 1. Type of Well X Other INJECTION Oil Well Gas Well 8. Well Name and No. 2. Name of Operator Mobil Exploration & Producing U.S. Inc. MCELMO CREEK P-09 9. API Well No. as Agent for Mobil Producing TX & NM Inc. 43-037-16367 3. Address and Telephone No. P.O. Box 633, Midland. TX 79702 (915) 688-2585 10. Field and Pool, or exploratory Area GREATER ANETH 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 598' FNL; 2100' FEL 11. County or Parish, State SEC. 32, T40S, R25E SAN JUAN UT CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 12. TYPE OF SUBMISSION TYPE OF ACTION X Notice of Intent Abandonment Change of Plans Recompletion **New Construction** Subsequent Report Plugging Back Non-Routine Fracturing Casing Repair Water Shut-Off Final Abandonment Notice Altering Casing Conversion to Injection **CANCEL** SUNDRY Dispose Water Other (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* CANCEL SUNDRY APPROVAL DATED JANUARY 5. 1994.



4. I hereby certify that the foregoing is true and correct Signed Shuley Roberton	Title ENV. & REG. TECHNICIAN	Date 2-9-95
(This space for Federal or State office use) Approved by Conditions of approval, if any:	Title	Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Form 3160-5 (June 1990)

UNITED STATES

FORM APPROVED						
Budget But	reau No.	10	04-013			
Expires:	March :	31,	1993			

DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

5. Lease Designation and Serial No. 14-20-603-372

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

6. If Indian, Allottee or Tribe Name


NAVAJO TRIBAL Use "APPLICATION FOR PERMIT - " for such proposals 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE MCELMO CREEK UNIT 1. Type of Well X Other INJECTION 8. Well Name and No. P-09 MCELMO CREEK Name of Operator Mobil Exploration & Producing U.S 9. API Well No. as Agent for Mobil Producing TX & NM Inc 43-037-16367 3. Address and Telephone No. 10. Field and Pool, or exploratory Area (915) 688-2585 P.O. Box 633, Midland, TX 79702 GREATER ANETH 4. Location of Well (Footage, Sec., T., R., M. or Stryey Descriptor)
598 FNL, 2100 FEL 11. County or Parish, State SEC. 32, T40S, R25E BHL-860 N OF S.L. 1229' W OF S.L SAN JUAN UT CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE 12. TYPE OF SUBMISSION TYPE OF ACTION Change of Plans Notice of Intent Abandonment **New Construction** Recompletion Subsequent Report Non-Routine Fracturing Plugging Back Water Shut-Off Casing Repair

13. Describe Proposed or Completed Operations (Clearly state all portinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Altering Casing

SEE ATTACHED PROCEDURE

Final Ahandonment Notice



Conversion to Injection

n or Recompletion Report and Log form.)

Dispose Water

14. I hereby certify that the foregoing is true and correct Signed Roberton	Title ENV. & REG. TECHNICIAN	Date 6-19-95
(This space for Federal Approved by Conditions of approval, if any:	Title Petroleum Engineer	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

McElmo Creek Unit Horizontal Drilling Procedure

The objective of this procedure is to prepare this wellbore for sidetracking, sidetrack the subject well and drill a short radius horizontal well with a 1500' lateral.

- 1. Prepare location and dig working pit.
- 2. MIRU DDPU (daylight workover rig), reverse unit and H2S equipment.
- 3. Kill well if necessary, NU BOPs.
- 4. Pull and lay down production equipment.
- 5. TIH with full gauge bit and casing scraper to PBTD.
- 6. Circulate wellbore clean and POOH
- 7. TIH with section mill dressed with cutter arms for casing size to 2' below the Gothic Shale. Mill 25' section in casing. Circulate the hole clean and TOH with section mill.
- 8. TIH with cement retainer and set retainer 100' above the top perforation.
- Set the retainer. Pull out of retainer and circulate the well with fresh water until
 it is static and free of oil and gas. Sting back into the retainer. Pressure backside
 to 500 psi. Locate the test position and test tubing to 3,000 psi.
- 10. Locate the squeeze position and establish an injection rate with fresh water. Maintain the 500 psi pressure on the annulus and monitor. Cement squeeze the desert Creek Perforations.
- 11. Pull out of the cement retainer and reverse out any excess cement. TOH with cement stinger.
- 12. TIH with MT bit. Drill cement retainer and cement to 3' below casing stub.
- 13. POOH, lay down tubing. RDMO.
- 14. MIRU 24 hour DDPU with drilling package.
- 15. PU curve drilling assembly and TIH on 2 7/8" DP to PBTD.
- 16. RU power swivel and wireline. Latch into gyro tool and orient BHA.
- 17. Sidetrack wellbore using gyro orientation. Switch to Magnetic steering tool when free of magnetic interference from casing.
- 18. Drill curve section using steering tool for orientation. POOH and LD curve drilling motor.
- 19. PU lateral drilling motor and new bit.

- 21. TIH with lateral drilling assembly. Steer assembly as necessary with steering tool to reach target. Make bit trips as necessary. Circulate wellbore clean and POOH.
- 22. Complete well as per operations Engineering.

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

Budget Bureau No. 1004-0135 Expires: March 31, 1993

FORM APPROVED

5. Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name

14-20-603-372


SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR	NAVAJO TRIBAL	
SUBMIT	7. If Unit or CA, Agreement Designation MCELMO CREEK UNIT	
1. Type of Well Oil Well Oil Well Other INJECTION 2. Name of Operator Mobil Exploration & as Agent for Mobil F 3. Address and Telephone No. P.O. Box 633, Midland, TX 79 4. Location of Well (Footage, Sec., T., R., M., or Survey De 598 FNL, 2100 FEL SEC. 32, T40S, R25E BHL-860 N OF S.L, 1229' W OF	8. Well Name and No. MCELMO CREEK P-09 9. API Well No. 43-037-16367 10. Field and Pool, or exploratory Area GREATER ANETH 11. County or Parish, State SAN JUAN UT	
12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, (OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing Other SIDETRACK	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

SEE ATTACHED PROCEDURE



14. I hereby certify that the foregoing is true and correct Signed Robertoon	Title ENV. & REG. TECHNICIAN	Date 6-19-95
(This space for Federal Carpffice ase) Approved by	Title Peterleum Encomeer	Dato 6/78/95
Conditions of approval, if any:		_ Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

McElmo Creek Unit Horizontal Drilling Procedure


The objective of this procedure is to prepare this wellbore for sidetracking, sidetrack the subject well and drill a short radius horizontal well with a 1500' lateral.

- 1. Prepare location and dig working pit.
- 2. MIRU DDPU (daylight workover rig), reverse unit and H2S equipment.
- 3. Kill well if necessary, NU BOPs.
- 4. Pull and lay down production equipment.
- 5. TIH with full gauge bit and casing scraper to PBTD.
- 6. Circulate wellbore clean and POOH
- 7. TIH with section mill dressed with cutter arms for casing size to 2' below the Gothic Shale. Mill 25' section in casing. Circulate the hole clean and TOH with section mill.
- 8. TIH with cement retainer and set retainer 100' above the top perforation.
- 9. Set the retainer. Pull out of retainer and circulate the well with fresh water until it is static and free of oil and gas. Sting back into the retainer. Pressure backside to 500 psi. Locate the test position and test tubing to 3,000 psi.
- 10. Locate the squeeze position and establish an injection rate with fresh water. Maintain the 500 psi pressure on the annulus and monitor. Cement squeeze the desert Creek Perforations.
- 11. Pull out of the cement retainer and reverse out any excess cement. TOH with cement stinger.
- 12. TIH with MT bit. Drill cement retainer and cement to 3' below casing stub.
- 13. POOH, lay down tubing. RDMO.
- 14. MIRU 24 hour DDPU with drilling package.
- 15. PU curve drilling assembly and TIH on 2 7/8" DP to PBTD.
- 16. RU power swivel and wireline. Latch into gyro tool and orient BHA.
- 17. Sidetrack wellbore using gyro orientation. Switch to Magnetic steering tool when free of magnetic interference from casing.
- 18. Drill curve section using steering tool for orientation. POOH and LD curve drilling motor.
- 19. PU lateral drilling motor and new bit.

- 21. TIH with lateral drilling assembly. Steer assembly as necessary with steering tool to reach target. Make bit trips as necessary. Circulate wellbore clean and POOH.
- 22. Complete well as per operations Engineering.


McElmo Creek P-09


Greater Aneth Field San Juan County, Utah 598' FNL, 2100' FEL SEC 32 T40S, R25E API# 4303716367 PRISM ID: 0000355



TD: 6000'

PROPOSED CONDITION McELMO CREEK UNIT WELL NO. P-09





WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 06/26/95	API NO. ASSIGNED: 43-037-16367
NWNE	INTRY) N7370) INSPECT LOCATION BY: / /
PROPOSED LOCATION: NEW 32 - T40S - R25E SURFACE: 0598-FNL-2100-FEL BOTTOM: 0262-FSL-3329-FEL SAN JUAN COUNTY GREATER ANETH FIELD (365) LEASE TYPE: IND	TECH REVIEW Initials Date
LEASE NUMBER: 14-20-603-372 PROPOSED PRODUCING FORMATION: DSCR	bullade
RECEIVED AND/OR REVIEWED: Y Plat S & ORIGINAL Y Bond: Federal [] State[] Fee[] (Number) N Potash (Y/N) N Oil shale (Y/N) Y Water permit (Number	LOCATION AND SITING: R649-2-3. Unit: u7u69930A R649-3-2. General. R649-3-3. Exception. Drilling Unit. Board Cause no: Date:
COMMENTS:	
STIPULATIONS:	



Ted Stewart Executive Director James W. Carter Division Director 801-538-5319 (TDD)

355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340 801-359-3940 (Fax)

June 28, 1995

Mobil Exploration & Producing U.S. Inc. as Agent for Mobil Producing TX & NM Inc. P.O. Box 633 Midland, Texas 79702

McElmo Creek P-09 Well, Surface Location: 598' FNL, 2100' FEL, NW NE Sec. 32, T. 40 S., R. 25 E., Bottom Hole Location: 262' FSL, 3329' FEL, SE SW, Sec. 29, T. 40 S., R. 25 E., San Juan County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to reenter and drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-037-16367.

Sincerely,

Associate Director

ldc

Enclosures

San Juan County Assessor

Bureau of Land Management, Moab District Office

WAPD



Operator:	perator: Mobil Exploration & Producing U.S. Inc.							
Well Name	Vell Name & Number: McElmo Creek P-09							
API Numbe	er: <u>43-037</u>	7-16367						
Lease:	Indian 14-20	-603-372	2					
Location:	NW NE	_ Sec	32	_ T	40 S.,	_ R	25 E.	

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for Permit to Drill.

2. Notification Requirements

Notify the Division within 24 hours following spudding the well or commencing drilling operations. Contact Jimmie Thompson at (801)538-5340.

Notify the Division prior to commencing operations to plug and abandon the well. Contact Frank Matthews or Mike Hebertson at (801)538-5340.

3. Reporting Requirements

All required reports, forms and submittals shall be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. In accordance with Utah Admin. R. 649-3-11, Directional Drilling, submittal of a complete angular deviation and directional survey report is required.

Division of Oil, Gas and Mining PHONE CONVERSATION DOCUMENTATION FORM

	Well File Rng (API No.)	(Return Date) (To - Initials)	XXX Other OPER NM CHG
1.	Date of Phone Call: 8-3-95	Time:	
2.	DOGM Employee (name) L. Control Talked to: Name R. J. FIRTH of (Company/Organization)	_ (Initiated Call 🗱) - Ph	one No. ()
3.	Topic of Conversation: MEPI		
4.	Highlights of Conversation: OPERATOR NAME IS BEING CHANGED IN NORTH AMERICA INC) TO MOBIL EXPI THIS TIME TO ALLEVIATE CONFUSION *SUPERIOR OIL COMPANY MERGED IN	FROM M E P N A (MOBIL EX LOR & PROD. THE NAME CH N, BOTH IN HOUSE AND AMO	PLORATION AND PRODUCING ANGE IS BEING DONE AT NGST THE GENERAL PUBLIC.

	n of Oil, Gas and Mining FOR CHANGE WORKSHEET							Rou 1-	LEC 7-PL	3
	all documentation received by the division each listed item when completed. Write N/	-			ole.			3=	LWD 8-SJ DES 9-FIL VLC	7~~
□ Char □ Desi	nge of Operator (well sold) gnation of Operator	□ Des XXX Ope	ignation erator	on of A Name Cl	Agent hange	Only			RJF /	_
The op	erator of the well(s) listed below	has ch	anged (EFFECT	IVE D	ATE:	8-2-95	5)	
TO (ne	w operator) MOBIL EXPLOR & PROD (address) C/O MOBIL OIL CORP PO DRAWER G CORTEZ CO 81321 phone (303) 564-5212 account no. N7370		FROM (f	ormer	opera (addr	955) <u>(</u> (PO DRAWE CORTEZ (phone (3	L OIL C	1 -5212	
Hell(s) (attach additional page if needed):									
Name: Name: Name: Name:	** SEE ATTACHED ** API:	Er Er Er Er	ntity:_ ntity:_ ntity:_ ntity:_ ntity:_		Sec_ Sec_ Sec_ Sec_ Sec_	Twp_ Twp_ Twp_ Twp_ Twp_	Rng Rng Rng Rng	Lease Lease Lease Lease Lease	Type: Type: Type:	
NA 1.	OR CHANGE DOCUMENTATION (Rule R615-8-10) Sundry or othe operator (Attach to this form). (Rule R615-8-10) Sundry or other (Attach to this form). The Department of Commerce has be operating any wells in Utah. Is yes, show company file number:	legal de en conta compan	ocument acted i y regis	ation f the	has b	een r perat	eceived or abov	from <u>ne</u> e is not	ew operato	or y
	(For Indian and Federal Hells Of (attach Telephone Documentation comments section of this form.	ILY) The Form to Managem	e BLM o this	repor view o	rt). of Fed	Make eral	note and Inc	of BLM ian wel	l operato	r
	Changes should take place prior to the listed above. $(8-3-95)$							IBM) for	each wel	1
$\omega \rho_{6}$	Cardex file has been updated for e	ach wel	l list	ed abo	ve . 🐔	31.95	~			
Ŷ	Well file labels have been updated									
Lec 8.	Changes have been included on the for distribution to State Lands an	monthl d the T	y "Ope ax Com	rator, missio	Addre n. <i>(8</i> -	255, 395)	and Acco	ount Cha	unges" mem	10
LL9.	A folder has been set up for the placed there for reference during	Operato routing	or Chan Land Di	ge fil	e, and ing of	dace the	opy of origina	this pag 1 docume	je has bee ents.	n

OPERATOR	C CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
ENTITY	REVIEW
Lec 1.	(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
N/A 2.	State Lands and the Tax Commission have been notified through normal procedures of entity changes.
BOND VI	ERIFICATION (Fee wells only) & No Fee Leese Wells at this time!
N/A/ 1.	(Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
	A copy of this form has been placed in the new and former operators' bond files.
3.	The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19
LEASE 3	INTEREST OHNER NOTIFICATION RESPONSIBILITY
1. 2 /5 /55	(Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 19, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
_	Copies of documents have been sent to State Lands for changes involving State leases.
FILMING	
<u>B</u> 1.	All attachments to this form have been microfilmed. Date: 1997 .
FILING	
1.	Copies of all attachments to this form have been filed in each well file.
	The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
9508	103 UIC F5/Not necessary!
- :	

WE71/34-35

Record#	WELL_NAME	API_NUMBER	DATEAPPRVD	SPUD_DATE		,
V 2508	MCELMO CREEK O-10 (RE-ENTRY)	43-037-15967	06/28/95	1 1	, ,	Drl. & WIW
V 2509	MCELMO CREEK P-11 (RE-ENTRY)	43-037-15971	06/28/95	1 1		DH. E. WIW
2510	MCELMO CREEK Q-10 (RE-ENTRY)	43-037-15973	06/28/95	1 1		Drl. E. WIW
√2507	MCELMO CREEK P-09 (RE-ENTRY)	43-037-16367	06/28/95	1 1		Orle & wiw
V2143	RU 28-11 (RE-ENTRY)	43-037-30446	08/05/94	1 1		Orl. 8 Pow
1 2144	RU 29-31 (RE-ENTRY)	43-037-30914	08/05/94	/ /	, ,	Drl. 8. Pow
V2146	RU 20-33 (RE-ENTRY)	43-037-30931	08/05/94	1 1	1 1	OH. E. POW
2147	RU 29-42 (RE-ENTRY)	43-037-30937	08/05/94	1 1	1 1	Al. EPOW
2148	RU 20-42 (RE-ENTRY)	43-037-31051	08/05/94	1 1	1 1	Orl. E. POW

APDO Approved

APDO Approved

Spadded

Spadded

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEM**

FORM APPROVED Budget Bureau No. 1004-0135

Expires: March 31, 1993

5.	Loase	Desig	gnation	and	Serial	N
	4.4	00	C02	٥.	70	

5.	Loaso	Des	ignation	and	Serial	N
		~~	600	-		

CINIDDY NOTICES AND	DEPORTS ON WELL	14-20-603-373
Do not the this form for proposed to drill	or to donner or road DIV OF OIL, GAS & Interest of the Control of	6. If Indian, Allottee or Tribe Name
SUNDRY NOTICES AND Do not use this form for proposals to drill of Use "APPLICATION FOR	NAVAJO TRIBAL	
SUBMIT	7. If Unit or CA, Agreement Designation RATHERFORD UNIT	
1. Type of Well Oil Gas Well Other INJECTOR 2. Name of Operator Mobil Exploration &	8. Well Name and No.	
as Agent for Mobil F	Producing TX & NM Inc.	9. API Well No.
3. Address and Telephone No. P.O. Box 633, Midland, TX 79	43 - 037 - 16367 10. Field and Pool, or exploratory Area	
4. Location of Well (Footage, Sec., T., R., M., or Survey De	GREATER ANETH	
SEC.32, T40S, R25E 598' FNL, 2100' FEL	11. County or Parish, State SAN JUAN UT	
12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT,	
TYPE OF SUBMISSION	TYPE OF ACTION	
X Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
Final Abandonment Notice	Casing Repair Altering Casing Other WORKOVER	Water Shut-Off Conversion to Injection Dispose Water
	Cutei HOROVER	(Note: Report results of multiple completion on Well Completion or Recognition Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

SEE ATTACHMENT

Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY

14. I hereby certify that the foregoing is true and correct Signed Villay Kobarbos	Title ENV. & REG. TECHNICIAN	Date 12-06-95
(This space for Federal Office 180) Approved by Conditions of approval, if any:	Title Ethreum Engriew	Date 12/12/95

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

MEPUS. FOUR CORNERS AREA WORKOVER PROGRAM

FIELD: Greater Aneth

DATE: 28/NOV./95

LEASE: McElmo Creek Unit

WELL: P-07

AFE: 5AX6 for \$114M 8/8ths

PRISM ID #: 0000353

LOCATION: 1820' FSL, 2140' FEL, SEC. 29-T40S-R25E

ELEVATION: 5055' RKB

TOTAL DEPTH: 6014 FT. MD.

PBTD:

5971 FT. MD.

WORKOVER RIG: Navajo West

WORKOVER FLUID: 10 ppg brine

EXISTING PERFS: 5929'-5937', 5947'-5950', 5954'-5964'

PROPOSED PERFS: Same As Existing

PROPOSED WORK: Pull and lay down 2-7/8", 6.5 lb/ft J-55 Nu-Lock TK75 plastic coated injection tubing and Baker Lok-Set packer, CO well to PBTD at 5971', replace wellhead, PT and squeeze casing if necessary, run GR/METT/CCL log, set a wireline set, tubing retrievable packer, complete well with a latching seal assembly on 2-3/8", 4.7 lb/ft J-55 EUE 8rd KCTS fluorolined tubing.

JUSTIFICATION: The P-07 injection well failed a mechanical integrity test on the casing and was shut in as required by the EPA. This well directly supports 18 BOPD of pattern production.

PREPARED BY: S. S. MURPHY
OPERATIONS ENGR.

McElmo Creek P-07 Workover Procedure

- Lock and tag out all power sources. RU pump and pump lines to christmas tree. Bullhead 50 bbls of 10 ppg brine into well.
 Observe well the next day to confirm if well is dead.
- 2. MI workover rig. Bleed off casing pressure. Unbolt tree. NU and PT BOP's. Release Baker Lok-Set packer and circulate hole to 10 ppg brine (use lease water if well was on a screaming vacuum in Step No. 1.) POH laying down 2-7/8", 6.5 lb/ft J-55 Nu-Lock TK75 plastic coated tubing and injection packer. NOTE: Records do not indicate that an on/off tool was run in this well.
- 3. RIH with bit and scraper on either 2-3/8" EUE 8rd or 2-3/8" CS
 Hydril workstring and CO well to PBTD at 5971'. Do not drill past
 5971'. Space casing scraper to not enter top perforation at 5929'.
 POH. RU wireline unit. Set CIBP at 5870'.
- 4. ND BOP's. NU new wellhead as per Ken Britton with Big Red Tools. PT casing to 1000 psi for 30 minutes. 5 percent leakoff or less is acceptable.
- 5. If casing failed to PT, RIH with squeeze packer and locate casing leak. POH. RIH open ended and spot 35 sxs class B cement containing 3 percent CaCl2, pull out of cement and reverse out workstring. Bradenhead squeeze to 1000 psi. Stage cement as necessary. WOC 12 hours. POH.
- 6. RIH with 3-7/8" junk mill on 2-3/8" workstring and drill out cement. PT casing to 1000 psi. Resqueeze as necessary. If PT OK, drill out CIBP and CO to 5971'. POH.
- 7. RU Schlumberger wireline and lubricator. PT lubricator to 1000 psi or wellhead pressure if higher. RIH with GR/METT/CCL and log from PBTD at 5971' to 4900'. POH.

8. RIH with the following production packer assembly on wireline:

DESCRIPTION	MAX. O.D.	MIN. I.D.	LENGTH ft.
4-1/2" X 2.25" 9.5 lb/ft wireline set Guiberson Uni-X retrievable seal bore packer (Nickel plated and plastic coated) with 90 Duro Nitrile ends w/78 Duro Polyepichlorohydrin CO2 cente elastomers w/4.5' X 2.25" 316 stainless steel seal bore extension w/Aflas o-rin on all threaded connections	•	2.25	6.92
6 ft 316 stainless steel 2-3/8", 4.7 lb/ft pup joint w/EUE 8rd AB Modified box X pin	3 .06 3	1.995	6.0
316 stainless steel Model R non-ported NoGo seating nipple, Size 1.43 w/2-3/8" 4.7 lb/ft EUE 8rd AB Modified box X pin	5	1.385 (N •¬	69 1.0
316 stainless steel wireline entry guide without pump-out plug, size 2-3/8 4.7 lb/ft EUE 8rd AB Modified box	3.063	1.995	0.5

NOTE: All connections to be made up with Baker Super B thread compound.

9. Set top of packer at 5865'EL. NOTE: Based on METT log, packer depth can be adjusted. POH with setting tool. RDMO wireline.

10. PU and RIH with the following latch type seal assembly and new injection string:

DESCRIPTION		MIN. I.D.	
2-3/8", 4.7 lb/ft AB Modified 8rd X 2.25" Guiberson latch nipple w/nitril seals, 7 ft of nitrile seal nipples, one nitrile seal unit made of 316 stainless steel, 1/2 muleshoe made of 316 stainless steel, I.D. of flow area of seal assembly is plastic coated, all 8 TPI stub acme boxes to have Aflas o-rings, all 10 rd boxes to be AB modified with Teflon rings installed Assembly to be pressure tested to 3000 psi using nitrogen prior to being sent to location.	e	1.780	10.0
2-3/8" KCTS box X EUE 8rd pin 316 Stainless steel	3.063	1.682	1.0
2-3/8", 4.7 lb/ft J-55 KCTS (Threadmasters Torque Ring) Fluorolined Tubing w/pup joints as required	3.063	1.682	+/- 5864′

- NOTE: A. All new KCTS tubing to be torque turned. All connections of seal assembly and tubing to be made up using Baker Super B thread compound. Use permitek on permiserts. Bill Allman with Permian to be on location while running tubing.
 - B. Rabbit tubing with 1.5" O.D. rabbit.
- 11. Sting seal assembly into production packer and space out for 15,000 lbs compression at surface. PT backside to 500 psi. Rotate to the right and release seal assembly from packer. Install necessary 2-3/8", 4.7 lb/ft J-55 KCTS fluorolined tubing pup joints and landing joint. Reverse circulate fresh water packer fluid containing 1 percent by volume of Tretolite CRW137 corrosion inhibitor/oxygen scavenger.


- 12. ND BOPS. Screw on new christmas tree. Insure that Teflon ring in box on christmas tree is a new ring. Snap into snap latch and confirm by pulling 10,000 lbs tension. Land tree and bolt up flange. RDMO workover rig. Hook up injection lines. Clean location.
- 13. Perform Mechanical Integrity Test (MIT) for EPA. Contact Jim Walker of the Navajo EPA in Shiprock at 505/368-1040 to witness. Use chart recorder to record test. Send copies of chart to Shirley Todd, Midland 1206 MOB, Ed Barber, Aneth, Cortez, and Aneth files. Fill out Utah tax credit form and submit to Tiny Higman, Cortez office. After obtaining an acceptable MIT, place well on water injection on maximum choke.

VENDORS LIST

DESCRIPTION	VENDOR
Snubbing Unit (If Necessary)	Not Specified
Corrosion Inhibitor	Tretolite
Supervision of running tubulars	Bill Allman
Torque Turn Services	Tong Rentals
Logging, junk basket/ gauge ring, packer setting	Schlumberger
Production packer, 316 stainless steel tubing nipple, seal assembly, wireline re-entry guide,	Guiberson
316 Stainless steel pup joint	Guiberson
2-3/8", 4.7 lb/ft KCTS box X EUE 8rd pin	Bill Allman
Cementing Services (If Necessary)	Halliburton
Wellhead and tree	Big Red Tool
Bit, scraper, squeeze packer, work string, water hauling	Not Specified

INJECTOR

McELMO CREEK UNIT #P-07 GREATER ANETH FIELD 1820' FSL & 2140' FEL SEC 29-T40S-R25E SAN JUAN COUNTY, UTAH API 43-037-05828 PRISM 0000353



* THOUSE 0400E

FOR		JOB OR AUTH, NO.
LOCATION		PAGE
SUBJECT McElmo Creek		DATE 16/NOV/95
Injection Well M	Repair P-07	by 5.5. Murphy
·	PROPOSED	•
KB: 5055'		
•		
		7.5"
		7-78", 24# at 14831 contid
		to surface w/7000xs
		tota potania i se se filosoficia de la c elebración de la companya de la companya de la companya de la companya
3/8", 4.7 16/A J-55		
E and KCTS flourolind	1	
49	3	••••••••••••••••••••••••••••••••••••••
J		
	75	
	3	
		mmentee on the second of the s
	13	
	3.	
	3	
Guibarson Latching Sea	/	
assembly		
uiberson Wireline Set		
ni-X Packer at 5865'	- 	
•		
	1R4	
		PERFS (Same As Existing)
		•
	ŧ ‡	5929-37
	<i></i>	5 9 47 ~50\
•	事 F s	7954-64
		1-1/2", 9.5# at 60131 conty
		-/250 sxs Cake Toc at 3913
	TD 6014	

THE SUPERIOR OIL COMPANY 36.55075% Arren #1

McELMO CREEK UNIT #P-07 1820' FSL, 2140' FEL Section 29, T40S, R25E San Juan County, Utah

WATER INJECTION WELL

PIED:

MCELMO CREEK

KB: 5055'

DF: 5054'

TD: 6014'

PBTD: 6010'

TLD: 9.00'

SPUDDED:

1-5-61

COMPLETED: 2-8-61

INJECTION ZONE: Desert Creek Zones I, II

PERFS:

/5930-37', 5947-50', 5954-64', 5978-84', 5988-92', 5997-6003'

(2 jets/ft)

CASING:

7-5/8", 24#, H-40 8R ST&C w/ 700 sx

1483'

4-1/2" 9.5#, 11.6# J-55 8R ST&C w/ 250 sx

6013'

TUBING:

2-7/8" 6.5#, J-55 Nu-Lock TK75 to 5879

PACKERS:

Baker Lok-set at 5875'

PUMPG EQUIP:

Injection equipment.

REMARKS:

WELL HEAD:

6" Series 600 2-3/8" CIW Type F.

2-61

Perf'd 5930-37', 5947-50', 5954-64', treated w/ 2000 gal

IST-NE acid.

12/12-19/65

Perf'd 5978-84', 5988-92', 5997-6003', treated w/ 500 gal 28

acid. Max pressure 3200#, ISIP O#. | Converted to water /

injection.

10-6-77

Treated w/ 2000 gal 28% HCL acid. Max press 3450 psi, FP 12

psi, ISIP 200 psi.

10-8-82

Changed out tubing and packer.

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Brainer: March 31 1993

Expires: March 31, 1993

5. Lease Designation and Serial No.

14-20-603-372
6. If Indian, Allottee or Tribe Name

SUNDRY NOTICES AND REPORTS ON WELLS


Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

NAVAJO TRIBAL

PERMIT - TOT SUCH PROPOSAIS	7. If Unit or CA, Agreement Designation
IN TRIPLICATE	McELMO CREEK UNIT
	8. Well Name and No.
Producing U.S. Inc. roducing TX & NM Inc.	9. API Well No.
702 (915) 688–2585	43-037-16367 10. Field and Pool, or exploratory Area
ecription)	GREATER ANETH FIELD 11. County or Parish, State
OF S.L.	SAN JUAN UTAH
) TO INDICATE NATURE OF NOTICE, REPORT	, OR OTHER DATA
TYPE OF ACTION	l
Abandonment	Change of Plans
Recompletion	New Construction
Plugging Back	Non-Routine Fracturing
Casing Repair	Water Shut-Off
Altering Casing	Conversion to Injection
X Other <u>CANCEL INTENT</u>	Dispose Water (Note: Report results of multiple completion on W. Completion or Recompletion Resort and Log form
	OF S.L. TO INDICATE NATURE OF NOTICE, REPORT TYPE OF ACTION Abandonment Recompletion Plugging Back Casing Repair Altering Casing

PLEASE CANCEL INTENT TO SIDETRACT APPROVED 6-23-1995

Doken Johnstor



14. I hereby certify that the foregoing is true and correct Signed	Title ENV. & REG. TECHNICIAN	Date 10-04-96
(This space for Federal or State office use) Approved by Conditions of approval, if any:	Title	Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

		_			
5.	Lease	Designation	and	Seria1	No

SUNDRY NOTICES AND REPORTS ON WELLS

14.	20-603	3-372		
6.	If Indian.	Allottee of	Tribe	Nan

Conversion to Injection

ote: Report results of multiple completion on Well

Dispose Water

olo to drill or to de

Do not use this form for proposals to drill (or to deepen or reentry to a different reservoir.	
Use "APPLICATION FOR	PERMIT - " for such proposals	NAVAJO TRIBAL
SUBMIT IN TRIPLICATE		7. If Unit or CA, Agreement Designation MCELMO CREEK UNIT
1. Type of Well Oil Gas X Other	I TAIC +	8. Well Name and No. MCELMO CREEK P-09
*MOBIL EXPLORATION & PR	ODUCING US INC. AS AGENT FOR MPTM	9. API Well No.
3. Address and Telephone No. P.O. Box 633, Midland TX 79702	(915) 688-2585	43-037-16367 10. Field and Pool, or exploratory Area
4. Location of Well (Pootage, Sec., T., R., M., or Survey De		GREATER ANETH
(NW/SE) SEC. 32, I415, R25E T405 398' FNL & 2100' FEL	,	11. County or Parish, State
		SAN JUAN UT
12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTIO	N
Notice of Intent	Abandonment	Change of Plans
À	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Corina Bansie	Water Shut Off

Completion or Recompletion Report and Log form.) 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*


Altering Casing

WORKOVER

5-14-97/5-14-97

Final Abandonment Notice

DOWELL SCHLUMBERGER ACIDIZED WELLBORE THROUGH COILED TUBING.



14. I hereby certify that the foregoing is true and correct Signed	for Pile	SHIRLEY HOUCHINS, ENV. & REG. TECH	Date 8-18-98
(This space for Federal or State office use)	U		
Approved by	Title		Date
Conditions of approves, is any.			

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

•	-	•	
Form 3160-5	UNITED S	TATES	FORM APPROVED
June 1990)	DEPARTMENT OF		Budget Bureau No. 1004-0155 Expires: March 51, 1995
(June 1990)	BUREAU OF LAND		5. Lease Designation and Serial No.
			14-20-603-372
On an advisor Abba day	SUNDRY NOTICES AND RE		6. If Indian, Allottes or Tribs Name
	• •	deepen or reentry to a different reservoir.	NAMA SO TROPA
	Se "APPLICATION FOR PERM	III - Tor such proposals	NAVAJO TRIBAL
	SUBMIT IN 1	TRIPLICATE	7. If Unit or CA, Agreement Designation HCELMO CREEK UNIT
1. Type of Well Oil Gas Well Well	X Other		B. Woll Name and No. MCELNO CREEK P-09
	BIL PRODUCING TX & NM INCOBIL EXPLORATION & PRODUC	.± ING US INC. AS AGENT FOR MPTM	9. API Well No.
5. Address and Telephone :	No. Midland TX 79702	(915) 688-2585	43-037-16367 10. Pield and Pool, or exploratory Area
4. Location of Well (Foote	go, Sec., T., R., M., or Survey Description	a)	GREATER ANETH
(NW/SE) SEC. 3	2, T4 6 5, R25E		
\$98' FNL & 210	O' FEL		11. County or Parish, State
			SAN JUAN UT
12. CHECK	APPROPRIATE BOX(s) TO	INDICATE NATURE OF NOTICE, REPORT	I, OR OTHER DATA
TYPE OF	SUBMISSION	TYPE OF ACTION	
Notice	of Intent	Abandonment	Change of Plans
e-reda		Recompletion	New Construction
Subseq	pent Report	Plugging Back	Non-Routine Fractaring
П		Cosing Reposit	Water Shut-Off
Final /	Abandonment Notice	Altoring Caling	Conversion to Injection
		X Other WORKOVER	Dispose Water (Note: Report results of coalsiple conspletion on Wall
3. Describe Proposed or Com	pleted Operations (Clearly state all pertines	nt details, and give pertinent dates, including estimated date of sta the for all markers and zones pertinent to this work.)*	Completion or Recompletion Report and Log form.) rting any proposed work. If we'll is directionally drille
Blas smismisee v	the diffits were unaccessed and the saturds ask.	,	
5-14-97/5-14-97	1		
BOUTE COULINDS	RGER ACIDIZED WELLBORE TH	IDDIKU CATIER TIBING	
DOMETT 2CHTOMBE	HOEK WITHTEEN METEROKE IL	MODEL COTES LOGING!	Q 98
			RECEIVED AUG 20 PH 12: 57 O FASILIMIGTON, NM
			할 일 말은
			差 32
			9 8
			ال مير.
			皇 二
14. I heraby carliffy that the	o foregoing is true and correct		
Signed Au	Mar Our Lor	FIRE SHIRLEY HOUCHINS, ENV. & REG.	FCH 8-18-98-5000
	State office are)		WELL LAN WERMUN
(This space for Federal	N SWR DIRECT PART /	Title	Date
Approved by Conditions of approval,	if eay;		AU9-2 7 1998
•••			
Title 18 U.S.C. Section 100	01, makes it a crime for any person knowin	gly and willfully to make to any department or agency of the Uni	HAR SHATTEN THE THE THE THE CONTRACT OF THE PERSONS
Of representations as to any	matter within its jurisdiction.		CARMINUTUS CICINIST STATE
		Education of Bounted Cide	

WO tax credit 10/98 722:0N 50/70: \$ 25:90 86/91/01

7502 889 SIG

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

5. Lease Designation and Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS


14.	-20-60	3-372	
6.	If Indian	, Allottee o	or Tribe Name

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.	
Use "APPLICATION FOR PERMIT - " for such proposals	

PERMIT - " for such proposals	NAVAJO TRIBAL .
SUBMIT IN TRIPLICATE	
W TNC +	8. Well Name and No. MCELMO CREEK P-09
RODUCING US INC. AS AGENT FOR MPTM	9. API Well No.
(915) 688-2585	43-037-16367 10. Field and Pool, or exploratory Area
escription)	GREATER ANETH 11. County or Parish, State SAN JUAN UT
) TO INDICATE NATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF ACTIO	N
Abandonment Recompletion Plugging Back Casing Repair Altering Casing X Other MIT & CHART	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
	M INC.* RODUCING US INC. AS AGENT FOR MPTM (915) 688-2585 DESCRIPTION (915) 688-2585 DESCRIPTION ADMINISTRATION ADMINISTRATION Plugging Back Casing Repair Altering Casing


Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*


SCHEDULED MIT (1998 & 1999) ATTACHED CHART



14. Thereby certify that the foregoing is true and correct signed MOSI Que	for	Title	SHIRLEY HOUCHINS. ENV. & REG. TECH	Date
(This space for Federal or State office use)	<i>V</i>			
Approved by		Title		Date
Conditions of approval, if any:				

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.





entinado.

ExxonMobil Production Comp., U.S. West P.O. Box 4358 Houston, Texas 77210-4358

June 27, 2001



Mr. Jim Thompson State of Utah, Division of Oil, Gas and Mining 1549 West North Temple Suite 1210 Salt Lake City, UT 84114-5801

Change of Name – Mobil Oil Corporation to ExxonMobil Oil Corporation

Dear Mr. Thompson

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

A copy of the Certification, Bond Rider and a list of wells are attached.

If you have any questions please feel free to call Joel Talavera at 713-431-1010

Charlotte J. Darper

Charlotte H. Harper Permitting Supervisor

ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

OIL KARABEL MAUNG



United States Department of the Interior

BUREAU OF INDIAN AFFAIRS NAVATOREUTON

P.O. Box 1060 Gallup, New Mexico 87305-1060

AUG 3 0 2001

RRES/543

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Charlotte H. Harper, Permitting Supervisor Exxon Mobil Production Company U. S. West P. O. Box 4358 Houston, TX 77210-4358

Dear Ms. Harper:

This is to acknowledge receipt of your company's name change from Mobil Oil Corporation to ExxonMobil Oil Corporation effective June 1, 2001. The receipt of documents includes the Name Change Certification, current listing of Officers and Directors, Listing of Leases, Financial Statement, filing fees of \$75.00 and a copy of the Rider for Bond Number 8027 31 97. There are no other changes.

Please note that we will provide copies of these documents to other concerned parties. If you need further assistance, you may contact Ms. Bertha Spencer, Realty Specialist, at (928) 871-5938.

Sincerely,

CENNI DENETSONE

Regional Realty Officer

cc: BLM, Farmington Field Office w/enclosures
Navajo Nation Minerals Office, Attn: Mr. Akhtar Zaman, Director/w enclosures

-	ADM 1 48 MC
i	HATV AM HEN COORD
	SOLID NON TEAM
٠	PETROMENT ISAN Z
	O&GINSHED YEAM
	ALL TEAM LUADERS
	LAND RESOURCES
İ	ENVIRORMENT
ı	FILES
L	

ExxonMobil Production Company

U.S. West P.O. Box 4358 Houston, Texas 77210-4358


June 27, 2001

Certified Mail
Return Receipt Requested

Ms. Genni Denetsone
United States Department of the Interior
Bureau of Indian Affairs, Navajo Region
Real Estate Services
P. O. Box 1060
Gallup, New Mexico 87305-1060
Mail Code 543

100 1/2 1/200/ SW 593

ExonMobil
Production



Change of Name –
Mobil Oil Corporation to
ExxonMobil Oil Corporation

Dear Ms. Denetsone:

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.


Attached is the Name Change Certification, Current listing of Officers and Directors, Filing Fee of \$75/-, Listing of Leases, Financial Statement and a copy of the Rider for Bond number 8027 31 97. The original Bond Rider has been sent to Ms. Barbar Davis at your Washington Office.

If you have any questions, please contact Alex Correa at (713) 431-1012.

Charlotte U. Harper

Charlotte H. Harper Permitting Supervisor

Attachments



ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

NOTE: Check forwarded to Ella Isasi

Bureau of Indian Affairs Navajo Region Office Attn: RRES - Mineral and Mining Section P.O. Box 1060

Gallup, New Mexico 87305-1060

Gentlemen:

The current list Corporation), or	ing of officers and director of	of ExxonMobil Oil Corporation (State) is as follows:	(Name of
	F.A. Risch K.T. Koonce F.L. Reid B.A. Maher	Address 5959 Las Colinas Blvd, I	TX 77002
Name P.A. Ha Name T.P. Too Name B.A. Mal	wnsend her sch	DIRECTORS Address 5959 Las Colinas Blvd. Irvi Address 5959 Las Colinas Blvd. Irvi Address 5959 Las Colinas Blvd. Irvi Address 5959 Las Colinas Blvd. Irvi Address 5959 Las Colinas Blvd. Irvi Address 5959 Las Colinas Blvd. Irvi Sincerely, Alex Correa	ng, TX 75039 ng, TX 75039 ng, TX 75039
and in t	he custody of <u>Corporation</u> Se	pertaining toExxonMobil Oil Corporation ords and accounts covering business for the Starvice Company (Agent), Phone: _1 (800 201 South Main Street, Salt Lake City, Utah 8411 Signature AGENT AND HITEREY IN FACT Title	ate of Utah

CERTIFICATION

I, the undersigned Assistant Secretary of ExxonMobil Oil Corporation. (formerly Mobil Oil Corporation), a corporation organized and existing under the laws of the State of New York, United States of America, DO HEREBY CERTIFY, That, the following is a true and exact copy of the resolutions adopted by the Board of Directors on May 22, 2001:

CHANGE OF COMPANY NAME

WHEREAS, the undersigned Directors of the Corporation deem it to be in the best interest of the Corporation to amend the Certificate of Incorporation of the Corporation to change the name and principal office of the Corporation:

NOW THEREFORE BE IT RESOLVED, That Article 1st relating to the corporate name is hereby amended to read as follows:

"1st The corporate name of said Company shall be,

ExxonMobil Oil Corporation",

FURTHER RESOLVED, That the amendment of the Corporation's Certificate of Incorporation referred to in the preceding resolutions be submitted to the sole shareholder of the Corporation entitled to vote thereon for its approval and, if such shareholder gives its written consent, pursuant to Section 803 of the Business Corporation Law of the State of New York, approving such amendment, the proper officers of the Corporation be, and they hereby are, authorized to execute in the name of the Corporation the Certificate of Amendment of Certificate of Incorporation, in the form attached hereto;

FURTHER RESOLVED, That the proper officers of the Corporation be and they hereby are authorized and directed to deliver, file and record in its behalf, the Certificate of Amendment of Certificate of Incorporation, and to take such action as may be deemed necessary or advisable to confirm and make effective in all respects the change of this Company's name to EXXONMOBIL OIL CORPORATION.

WITNESS, my hand and the seal of the Corporation at Irving, Texas, this 8th day of June, 2001.

S. a. Milliam
Assistant Secretary

COUNTY OF DALLAS STATE OF TEXAS

UNITED STATES OF AMERICA

Sworn to and subscribed before me at Irving, Texas, U. S. A. on this the 8th day of June, 2001.

Ganice M. Phillip Notary Public

LISTING OF LEASES OF MOBIL OIL CORPORATION

Lease Number

- 1) 14-20-0603-6504
- 2) 14-20-0603-6505
- 3) 14-20-0603-6506
- 4) 14-20-0603-6508
- 5) 14-20-0603-6509
- 6) 14-20-0603-6510
- 7) 14-20-0603-7171
- 8) 14-20-0603-7172A
- 9) 14-20-600-3530
- 10) 14-20-603-359
- 11) 14-20-603-368
- 12) 14-20-603-370
- 13) 14-20-603-370A
- 14) 14-20-603-372
- 15) 14-20-603-372A
- 16) 14-20-603-4495
- 17) 14-20-603-5447
- 18) 14-20-603-5448
- 19) 14-20-603-5449
- 20) 14-20-603-5450
- 21) 14-20-603-5451

6/1/01

CHUBB GROUP OF INSURANCE COMPANIES

Holder Control South, Suite 1900, Flourism Texas, 77027-3301
 Holder J. 1169-237-4600 r February (713) 287-4750

NW Bond

FEDERAL INSURANCE COMPANY RIDER to be attached to and form a part of

BOND NO 8027 31 97 wherein Mobil Corporation and Mobil Exploration and Producing U.S., Inc. is named as Principal and

FEDERAL INSURANCE COMPANY AS SURETY,

in favor of United States of America, Department of the Interior Bureau of Indian Affairs

in the amount of \$150,000.00 bond date: 11/01/65

IT IS HEREBY UNDERSTOOD AND AGREED THAT effective June 1, 2001 the name of the Principal is changed

FROM: Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc.

TO : ExxonMobil Oil Corporation


All other terms and conditions of this Bond are unchanged.

Signed, sealed and dated this 12th of June, 2001.

ExxonMobil Oil Corporation

FEDERAL INSURANCE COMPANY

Mary Pierson, Attorney-in-fact



POWER OF ATTORNEY

Federal Insurance Company Vigilant Insurance Company **Pacific Indemnity Company**

Attn.: Surety Department 15 Mountain View Road Warren, NJ 07059

Know All by These Presents, That FEDERAL INSURANCE COMPANY, an Indiana corporation, VIGILANT INSURANCE COMPANY, a New York corporation, and PACIFIC INDEMNITY COMPANY, a Wisconsin corporation, do each hereby constitute and appoint R.F. Bobo,

Mary Pierson, Philana Berros, and Jody E. Specht of Houston, Texas-----

each as their true and lawful Attorney-in-Fact to execute under such designation in their names and to affix their corporate seals to and deliver for and on their behalf as surety thereon or otherwise, bonds and undertakings and other writings obligatory in the nature thereof (other than ball bonds) given or executed in the course of business, and any instruments amending or attering the same, and consents to the modification or atteration of any instrument referred to in said bonds or obligations.

In Witness Whereof, said FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY have each executed and attested these presents and affixed their corporate seals on this 10th day of May, 2001.

Kenneth C. Wendel, Assistant Secreta

STATE OF NEW JERSEY County of Somerset

On this 10th day of May, 2001, before me, a Notary Public of New Jersey, personally came Kenneth C. Wendel, to me known to be Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY, the companies which executed the foregoing Power of Attorney, and the said Kenneth C. Wendel being by me duly sworn, did depose and say that he is Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY and knows the corporate seals thereof, Secretary of PEDERAL INSURANCE CUMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDENSITY COMPANY and knows the corporate seats thereof, the seats affored to the foregoing Power of Attorney are such corporate seats and were thereto affored by authority of the By-Laws of said Companies; and that he signed said Power of Attorney as Assistant Secretary of said Companies by bite authority; and that he is acquainted with Frank E. Robertson, and knows him to be Robertson and the seat of said Companies; and that the signature of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson and the seat of t

Notary Public State of New Jersey

No. 2231647

Commission Expires Oct. 28 2004 ION

Extract from the By-Laws of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY:

"All powers of attorney for and on behalf of the Company may and shall be executed in the name and on behalf of the Company, either by the Chairman or the President or a Vice President or an Assistant Vice President, jointly with the Secretary or an Assistant Secretary, under their respective designations. The signature of such officers may be engraved, printed or lithographed. The signature of each of the following officers: Chairman, President, any Vice President, any Assistant Vice President, any Secretary, any Assistant Secretary and the seal of the Company may be affixed by facelinite to any power of attorney or to any certificate relating thereto appointing Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and any such power of attorney or certificate bearing such facsimile signature or facsimile seal shall be velid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached."

I, Kenneth C. Wendel, Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY (the "Companies") do hereby certify that

(i) the foregoing extract of the By-Laws of the Companies is true and correct,

(ii) the Companies are duly licensed and authorized to transact surely business in all 50 of the United States of America and the District of Columbia and are authorized by the U.S. Tressury Department; further, Federal and Vigilant are licensed in Puerlo Rico and the U.S. Virgin Islands, and Federal is licensed in American Samoa, Guarn, and each of the Provinces of Canada except Prince Edward Island; and

(iii) the foregoing Power of Attorney is true, correct and in full force and effect.

Given under my hand and seals of said Companies at Warren, NJ this $\underline{12th}$ ___ day of _June , 2001







IN THE EVENT YOU WISH TO NOTIFY US OF A CLAIM, VERIFY THE AUTHENTICITY OF THIS BOND OR NOTIFY US OF ANY OTHER MATTER, PLEASE CONTACT US AT ADDRESS LISTED ABOVE, OR BY Telephone (908) 903-3485 Fax (908) 903-3656 e-mail: surety@chubb.com

C\$C.

CSC.

5184334741

06/01 '01 08:46 NO.410 03/05

06/01 '01 09:06 NO.135 02/04

F010601000 18

CERTIFICATE OF AMENDMENT

0F

CERTIFICATE OF INCORPORATION

Ο̈́F

CSC 45

MOBIL OIL CORPORATION

(Under Section 805 of the Business Corporation Law)

Pursuant to the provisions of Section 805 of the Business Corporation Lew, the undersigned President and Secretary, respectively, of Mobil Oil Corporation hereby cartify:

FIRST: That the name of the corporation is MOBIL OIL CORPORATION and that said corporation was incorporated under the name of Standard Oil Company of New York.

SECOND: That the Certificate of Incorporation of the corporation was filed by the Department of State, Albany, New York, on the 10th day of August, 1882.

THIRD: That the amendments to the Certificate of Incorporation effected by this Certificate are as follows:

(a) Article 1st of the Certificate of Incorporation, relating to the corporate name, is hereby amended to read as follows:

"1st The corporate name of said Company shall be, ExconMobil Oil Corporation",

(b) Article 7th of the Cartificate of Incorporation, relating to the office of the corporation is hereby amended to read as follows:

The office of the corporation within the State of New York is to be located in the County of Albany. The Company shall have offices at such other places as the Board of Directors may from time to time determine.

CSC CSC

5184334741

06/01 '01 08:47 NO.410 04/05

FOURTH: That the amendments to the Certificate of Incorporation were authorized by the Board of Directors followed by the holder of all outstanding shares entitled to wore on amendments to the Certificate of Incorporation by written consent of the sole shareholder dated May 22, 2001.

IN WITNESS WHEREOF, this Certificate has been signed this <u>22nd</u> Day of May, 2001.

F. A. Risch, President

STATE OF TEXAS
COUNTY OF DALLAS


F. L. REID, being duly sworn, deposes and says that he is the Secretary of MOBIL OIL CORPORATION, the corporation mentioned and described in the foregoing instrument; that he has read and signed the same and that the statements contained therein are true.

F. L. REID, Secretary

SUBSCRIBED AND SWORN TO before me, the undersigned authority, on this the 224 day of May, 2001.

[SEAL]

NOTARY PUBLIC, STATE OF TEXAS



CSC CSC

. –

---;

5184334741

06/01 '01 09:01 NO 411 02/02 **-01**0601000187

CSC 45

CERTIFICATE OF AMENDMENT

OF

MOBIL OIL CORPORATION

Under Section 805 of the Business Corporation Law

100 STATE OF NEW YORK

Filed by: EXXONMOBIL CORPORATION

FILED JUN 0 1 2001

TAX \$

5959 Las Colinas Blvd.

(Mailing address)

Irving, TX 75039-2298

(City, State and Zip code)

JUL 6 5 2001 William Nath Estime Services

010601000/

,TEL=5184334741

06/01'01 08:19

=> CSC

State of New York | State | State | State |

I hereby certify that the annexed copy has been compared with the original document in the custody of the Secretary of State and that the same is a true copy of said original.

Witness my hand and seal of the Department of State on JUN 01 2001



Special Deputy Secretary of State

DOS-1266 (7/00)

OPERATOR CHANGE WORKSHEET

ROUTING	_
1. GLH	
2. CDW]
3. FILE	

Change of Operator (Well Sold)

5. If **NO**, the operator was contacted contacted on:

Designation of Agent

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, e	ffective:	06-01-2001				
FROM: (Old Operator):		TO: (New Op	erator):			
MOBIL EXPLORATION & PRODUCTION		EXXONMOBIL OIL CORPORATION				
Address: P O BOX DRAWER "G"		Address: U S WEST P O BOX 4358				
CORTEZ, CO 81321		HOUSTON, T		58		
Phone: 1-(970)-564-5212		Phone: 1-(713)-				
Account No. N7370		Account No.	N1855			
CA No.		Unit:	MCELMO	CREEK		
WELL(S)						
11222(3)	SEC TWN	API NO	ENTITY	LEASE		WELL
NAME	RNG		NO	TYPE	TYPE	STATUS
MCELMO CREEK F-11	36-40S-24E	43-037-15617	5980	INDIAN	WI	A
MCELMO CREEK G-12	36-40S-24E	43-037-15618	5980	INDIAN	WI	A
MCELMO CREEK I-12		43-037-15619		INDIAN	WI	Α
NAVAJO A-2 (MCELMO H-11)	36-40S-24E	43-037-16350	99990	INDIAN	WI	A
NAVAJO 7 (MCELMO T-8)	28-40S-25E	43-037-16377	99990	INDIAN	WI	Α
NAVAJO TRIBE F-3 (MCELMO N-7)	29-40S-25E	43-037-16362	99990	INDIAN	WI	A
NAVAJO TRIBE F-18 (MCELMO P-7)	29-40S-25E	43-037-16366	99990	INDIAN	WI	Α
MCELMO CREEK K-12		43-037-15955		INDIAN	WI	A
NAVAJO TRIBE C-33-31 (MCELMO L-11)		43-037-15958		INDIAN	WI	A
MCELMO CREEK M-10		43-037-15961		INDIAN	WI	A
MCELMO CR M-12		43-037-15962		INDIAN	WI	A
NAVAJO TRIBE C-13-31 (MCELMO J-11)		43-037-16354		INDIAN	WI	A
NAVAJO TRIBE C-31-31 (MCELMO L-9)		43-037-16359		INDIAN	WI	A
NAVAJO C-11-32 (MCELMO N-9)		43-037-15964		INDIAN	WI	I
NAVAJO C-13-32 (MCELMO N-11)		43-037-15965		INDIAN	WI	Α
MCELMO CREEK O-10		43-037-15967		INDIAN	WI	A
MCELMO O-12		43-037-15968		INDIAN	WI	A
MCELMO CREEK P-11 (RE-ENTRY)		43-037-15971		INDIAN	WI	Α
MCELMO CREEK Q-10 (RE-ENTRY)		43-037-15973		INDIAN	WI	A
NAVAJO C-31-32 (MCELMO P-9)	32-40S-25E	43-037-16367	99990	INDIAN	WI	A
OPERATOR CHANGES DOCUMENTATION						
Enter date after each listed item is completed						
1. (R649-8-10) Sundry or legal documentation was received	from the FOF	RMER operator	on:	06/29/2001	<u>l</u>	
2. (R649-8-10) Sundry or legal documentation was received	from the NEV	W operator on:	06/29/200	<u>)1</u>		
		Dininian	of Councie	tions Dotah	oco on:	04/09/2002
3. The new company has been checked through the Departn	nent of Comn	nerce, Division	or Corpora	itiviis Dalai	ast VII.	04/07/2002
4. Is the new operator registered in the State of Utah:	YES	Business Num	ber:	579865-014	13	
To the new operator regionared in the state of Same		_			_	

N/A

6.	Federal and Indian Lease Wells: The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BIA-06/01/01
7.	Federal and Indian Units:
	The BLM or BIA has approved the successor of unit operator for wells listed on: 06/01/2001
8.	Federal and Indian Communization Agreements ("CA"):
	The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
9.	Underground Injection Control ("UIC") The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 04/16/2002 NOTE: EPA ISSUES UIC PERMITS
$\overline{\mathbf{D}}_{\lambda}$	ATA ENTRY:
1.	Changes entered in the Oil and Gas Database on: 04/16/2002
2.	Changes have been entered on the Monthly Operator Change Spread Sheet on: 04/16/2002
3.	Bond information entered in RBDMS on: N/A
4.	Fee wells attached to bond in RBDMS on: N/A
SI	TATE WELL(S) BOND VERIFICATION:
1.	State well(s) covered by Bond Number: N/A
FF	EDERAL WELL(S) BOND VERIFICATION:
1.	Federal well(s) covered by Bond Number: N/A
IN	DIAN WELL(S) BOND VERIFICATION:
1.	Indian well(s) covered by Bond Number: 80273197
FF	EE WELL(S) BOND VERIFICATION:
1.	(R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number N/A
	The FORMER operator has requested a release of liability from their bond on: N/A
	The Division sent response by letter on: N/A
LF	EASE INTEREST OWNER NOTIFICATION:
3.	(R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A
CC	DMMENTS:

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

ROUTING			
1.	DJJ	1	
2.	CDW		

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:		6/1/2006	
FROM: (Old Operator):	TO: (New Operator):		
N1855-ExxonMobil Oil Corporation	N2700-Resolute Natura	al Resources Company	
PO Box 4358	1675 Broadway, Suite 1950		
Houston, TX 77210-4358	Denver, CO 80202		
Phone: 1 (281) 654-1936	Phone: 1 (303) 534-460		
CA No.	Unit:	MC ELMO (UIC)	
OPERATOR CHANGES DOCUMENTATION			
Enter date after each listed item is completed	EODMED amagatag an	a: 4/21/2006	
1. (R649-8-10) Sundry or legal documentation was received from the		4/21/2006	
2. (R649-8-10) Sundry or legal documentation was received from the			(/7/2006
3. The new company was checked on the Department of Commerce			6/7/2006
	Business Number:	5733505-0143	
5. If NO , the operator was contacted contacted on:			
6a. (R649-9-2)Waste Management Plan has been received on:	requested		
6b. Inspections of LA PA state/fee well sites complete on:	n/a		
6c. Reports current for Production/Disposition & Sundries on:	ok		
7. Federal and Indian Lease Wells: The BLM and or the I	BIA has approved th	e merger, name change) ,
or operator change for all wells listed on Federal or Indian leases of	on: BLN	<u>M</u> n∕a <u>BIA</u>	not yet
8. Federal and Indian Units:			
The BLM or BIA has approved the successor of unit operator fo	r wells listed on:	not yet	
9. Federal and Indian Communization Agreements ("	CA"):		
The BLM or BIA has approved the operator for all wells listed v	vithin a CA on:	n/a	
10. Underground Injection Control ("UIC") The D	ivision has approved UI	C Form 5, Transfer of Aut	hority to
Inject, for the enhanced/secondary recovery unit/project for the w	ater disposal well(s) liste	ed on: 6/12/2006	
DATA ENTRY:			
1. Changes entered in the Oil and Gas Database on:	6/22/2006		
2. Changes have been entered on the Monthly Operator Change Sp	oread Sheet on:	6/22/2006	
3. Bond information entered in RBDMS on:	<u>n/a</u>		
4. Fee/State wells attached to bond in RBDMS on:	<u>n/a</u>		
5. Injection Projects to new operator in RBDMS on:	6/22/2006		
6. Receipt of Acceptance of Drilling Procedures for APD/New on:	n/a	- N - N - N - N - N - N - N - N - N - N	- 100 Marie 1
BOND VERIFICATION:	¥ .		
1. Federal well(s) covered by Bond Number:	<u>n/a</u>		
2. Indian well(s) covered by Bond Number:	PA002769	n/a	
3. (R649-3-1) The NEW operator of any fee well(s) listed covered b			
a. The FORMER operator has requested a release of liability from the The Division sent response by letter on:	eir bond on:n/a n/a	<u></u>	
LEASE INTEREST OWNER NOTIFICATION:			
4. (R649-2-10) The FORMER operator of the fee wells has been con	tacted and informed by	a letter from the Division	
of their responsibility to notify all interest owners of this change or			
COMMENTS:	71.6		

STATE OF UTAH **DEPARTMENT OF NATURAL RESOURCES** DIVISION OF OIL, GAS AND MINING

TRANSFER OF AUTHORITY TO INJECT					
Well Name and Number See attached list	100.00	API Number Attached			
Location of Well Footage: See attached list	County : San Juan	Field or Unit Name McElmo Creek Unit			
QQ, Section, Township, Range:	State: UTAH	Lease Designation and Number See attached list			

EFFECTIVE DATE OF TRANSFER: 6/1/2006

CURRENT OF	PERATOR		
Company:	Exxon Mobil Oil Corporation	Name:	
Address:	PO Box 4358	Signature:	
	city Houston state TX zip 77210-4358	Title:	
Phone:	(281) 654-1936	Date:	
Comments:	Exxon Mobil has submitted a separate, signed cop	v of UIC Form 5	
Gorillicitis.	Exxon Mobil has submitted a separate, signed cop	y of UIC Form 5	

NEW OPERAT	FOR		
Company:	Resolute Natural Resources Company	Name:	Dwight E Mallory
Address:	1675 Broadway, Suite 1950	Signature:	Ju Elly
	city Denver state CO zip 80202	Title:	Regulatory Coordinator
Phone:	(303) 534-4600	Date:	4/20/2006
Comments:	A list of affected UIC wells is attached. New bond numbers for these wells are: BIA Bond # PA002769 and US EPA Bond # B001252		

(This space for State use only)

Transfer approved by:

Approval Date: b/12/06

Comments:

RECEIVED APR 2 4 2006

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINING			5. LEASE DESIGNATION AND SERIAL NUMBER: See attached list	
SUNDRY NOTICES AND REPORTS ON WELLS				6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Navajo Tribe
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.				7. UNIT OF CA AGREEMENT NAME: McElmo Creek Unit
1. TYPE OF WELL OIL WELL GAS WELL OTHER Unit Agreement			8. WELL NAME and NUMBER: See attached list	
2. NAME OF OPERATOR:	ces Company N2700		45.00	9. API NUMBER:
Resolute Natural Resour	ces Company /4 / 100		PHONE NUMBER:	Attached 10. FIELD AND POOL, OR WILDCAT:
1675 Broadway, Suite 1950	TY Denver STATE CO ZI		(303) 534-4600	Greater Aneth
4. LOCATION OF WELL			- 10 - 3.12.153745514	Amala P. S. S.
FOOTAGES AT SURFACE: See a	inacien iist			COUNTY: San Juan
QTR/QTR, SECTION, TOWNSHIP, RA	NGE, MERIDIAN:			STATE: UTAH
11. CHECK APP	PROPRIATE BOXES TO INDICA	TE NATURE C	F NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION		TY	PE OF ACTION	
NOTICE OF INTENT	ACIDIZE	DEEPEN	***	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE T		SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR CHANGE TO PREVIOUS PLANS	NEW CONST		TEMPORARILY ABANDON
8 	CHANGE TUBING	OPERATOR (U TUBING REPAIR VENT OR FLARE
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK		WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION	(START/RESUME)	WATER SHUT-OFF
Date of work completion:	COMMINGLE PRODUCING FORMATIONS	=	N OF WELL SITE	OTHER:
	CONVERT WELL TYPE	RECOMPLET	E - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR C	OMPLETED OPERATIONS. Clearly show all	pertinent details incl	uding dates, depths, volume	es, etc.
Effective June 1, 2006 Ex Resolute Natural Resource	xxon Mobil Oil Corporation resignates Company is designated as su	ns as operator ouccessor opera	of the McElmo Cree tor of the McElmo (k Unit. Also effective June 1, 2006 Creek Unit.
A list of affected producin UIC Form 5, Transfer of A	ng and water source wells is attac Authority to Inject.	ched. A separa	te of affected injecti	on wells is being submitted with
As of the effective date in	oond coverage for the affected we	alle will transfor	to BIA Bond # DAG	002760
As of the ellective date, b	ond coverage for the affected we	ens will transfer	to bia bond # PAC	02769.
NAME (PLEASE PRINT) Dwight E	Мыногу)	TITLE	Regulatory Coord	linator
1 t 21	1/2	3000-000	4/20/2006	
SIGNATURE 0.9	\rightarrow	DATE	4/20/2000	· · · · · · · · · · · · · · · · · · ·
(This space for State use only)			100	
APPRE	WED 6 122106			DEOF
111 IC	VED 6 122106			RECEIVED
$\mathcal{C}_{\mathbf{A}}$	L Venia KAINIOO			100 -

(5/2000)

Division of Oil, Gas and Mining (See Instructions on Reverse Side)
Earlene Russell, Engineering Technician

APR 2 4 2006

DIV. OF OIL, GAS & MINING

	n.e	STATE OF UTAH	LIBOE	6		FORM 9			
				_	5, LEASE DESIGNATION AND SERIAL NUMBER:				
S	UNDRY N	IOTICES AND REPOR	TS C	N WELLS	Shi	p Rock			
Do not use this form for pro	posals to drill new v frill horizontal lateral	wells, significantly deepen existing wells below ils. Use APPLICATION FOR PERMIT TO DRI	current b	ottom-hole depth, reenter plugged wells, or to or such proposals.					
1. TYPE OF WELL	OIL WELL	GAS WELL OTHER	njec	ction					
2. NAME OF OPERATOR:		1110							
		14/822		I DUONE NUMBER					
P.O. Box 4358		louston STATE TX	_{ZIP} 772			SERVICE SERVICE CONTRACTOR CONTRA			
	E:		III 0	大概是1000年					
QTR/QTR, SECTION, TO	WNSHIP, RANGÉ,	MERIDIAN:			STATE	: UTAH			
11. CHE	CK APPRO	PRIATE BOXES TO INDICA	ATE N	IATURE OF NOTICE, REPO	RT, O	R OTHER DATA			
TYPE OF SUBMI	SSION			TYPE OF ACTION					
NOTICE OF INTER	JT C	ACIDIZE		DEEPEN		REPERFORATE CURRENT FORMATION			
		ALTER CASING		FRACTURE TREAT		SIDETRACK TO REPAIR WELL			
Approximate date wor	k will start:	CASING REPAIR		NEW CONSTRUCTION		TEMPORARILY ABANDON			
6/1/2006	E	CHANGE TO PREVIOUS PLANS		OPERATOR CHANGE		TUBING REPAIR			
_		CHANGE TUBING		PLUG AND ABANDON		VENT OR FLARE			
		CHANGE WELL NAME		PLUG BACK		WATER DISPOSAL			
· _ ·	· · · · · · · · · · · · · · · · · · ·	CHANGE WELL STATUS		PRODUCTION (START/RESUME)		WATER SHUT-OFF			
bate of work complete	"··· [COMMINGLE PRODUCING FORMATION	ıs 🔲	RECLAMATION OF WELL SITE		OTHER:			
		CONVERT WELL TYPE		RECOMPLETE - DIFFERENT FORMATION					
ExxonMobil Oil C Resources Comp	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING SUNDRY NOTICES AND REPORTS ON WELLS SUNDRY NOTICES AND REPORTS ON WELLS So is finding and interest of the proposals to drift new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drift horizontal iditerals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. YPE OF WELL OIL WELL GAS WELL OTHER Injection OR OFFRATOR: XONMObil Oil Corporation M/855 OBDRESS OF OFFRATOR: Anoth OBDRESS OF OFFRATOR: OBDRESS OFF								
Î	aurie Kilhrid	de .		Permitting Super	visor	NO. AND COMMENTS OF THE PARTY O			

(This space for State use only)

Eprline Russell

Division of Oil, Gas and Mining Earlene Russell, Engineering Technician RECEIVED APR 2 1 2006

DIV. OF OIL, GAS & MINING

4/19/2006

GREATER ANETH FIELD UIC WELL LIST McElmo Creek lease, San Juan County, Utah

MCELMO CREEK D15			¥ 11 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5				(6)					
MCELMO CREEK H11	Dealess		1.5		145-17 Hard Mark							
MCELMO CREEK 112	Reg Lease Name	Well ID	API Num	Status	Reg Lease #	Qtr 1	Qtr 2	Sec	TN	RNG	NS Foot	EW Foot
MCELMO CREEK 112	MOEI NO ODEEK	1111										
MCELMO CREEK F11 430371561700S1 Shut-in 14-20-0603-6146 NW W W 32 40S 24E 1930FNL 2051FWL MCELMO CREEK G12 430371561800S1 Active 14-20-0603-6146 SE SW 36 40S 24E 1930FNL 2051FWL MCELMO CREEK G12 43037163800S1 Active 14-20-0603-6147 NW SE 2 41S 24E 1830FSL 1830FSL 1830FSL MCELMO CREEK A17 43037163800S1 Active 14-20-0603-6148 NE NE 10 41S 24E 1270FNL 0660FEL MCELMO CREEK G14 430371626500S1 Active 14-20-0603-6509 SE NW 2 41S 24E 1270FNL 0660FEL MCELMO CREEK G14 430371626500S1 Active 14-20-0603-6510 NW NE 2 41S 24E 2140FNL 2140FWL MCELMO CREEK G14 430371626800S1 Active 14-20-0603-6510 NW NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK G14 430371626800S1 Active 14-20-0603-6510 NW NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK G14 430371626800S1 Active 14-20-0603-6510 NW NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK G14 430371618075 NW 14-20-0603-6510 NW NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK G14 430371618075 NW 14-20-0603-6510 NW NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK G14 430371618075 NW 14-20-0603-6510 NW NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK G14 430371618075 NW 14-20-0603-2048A NW SE 2 64 40S 26E 0660FSL 1980FEL MCELMO CREEK G14 430371618075 Active 14-20-0603-2057 NW NW 33 40S 25E 0500FNL 0680FWL MCELMO CREEK G11 A 43037161800S1 Active 14-20-0603-2057 NW NW 33 40S 25E 0500FNL 0680FWL MCELMO CREEK G11 A 43037161800S1 Active 14-20-0603-2057 NW NW 44 41S 25E 1080FNL 1980FWL MCELMO CREEK G14 A 30037161800S1 Active 14-20-0603-2057 NW NW 44 41S 25E 1080FNL 1980FWL MCELMO CREEK G14 A3037161800S1 Active 14-20-0603-2057 NW NW 44 41S 25E 1080FNL 1980FWL MCELMO CREEK G14 A3037161800S1 Active 14-20-0603-2057 NW NW 44 41S 25E 1080FNL 1980FWL MCELMO CREEK G14 A3037161800S1 Active 14-20-0603-2057 NW NW 44 41S 25E 0660FNL 1080FPL MCELMO CREEK G14 A3037161800S1 Active 14-20-0603-2057 NW NW 44 41S 25E 0660FNL 1080FPL MCELMO CREEK G14 A3037161800S1 Active G14-20-0603-2057 NW NW 44 41S 25E 0660FNL 1080FPL MCELMO CREEK G14 A3037161800S1 Active G14-20-0603-2057 NW NW 44 41S 25E 0660FNL 1080FPL MCELMO CREEK G14 A3037161800S1 Active G14-20-06								_	_		1855FSL	2100FEL
MCELMO CREEK D15	MCELMO CREEK	112	430371561900S1	Active	14-20-0603-6145	SE	SE	36	40S	24E	0595FSL	0595FEL
MCELMO CREEK D15		- 545								KI .	0	
MCELMO CREEK A17 43037163400S1 Active 14-20-603-6147 NW SE 2 41S 24E 1830FSL 1				Shut-in	14-20-0603-6146	NW	SW	36	40S	24E	1885FSL	0820FWL
MCELMO CREEK A17 43037163800S1 Active 14-20-603-6148 NE NE 10 415 24E 1270FNL 0680FEL MCELMO CREEK C14 430371626500S1 Active 14-20-603-6509 SE NW 2 41S 24E 2140FNL 2140FWL MCELMO CREEK E14 430371626800S1 Active 14-20-603-6510 SE NE 2 41S 24E 2050FNL 1920FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-6510 SE NE 2 41S 24E 2050FNL 1920FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-2048A SW SE 2 41S 24E 2050FNL 1920FEL MCELMO CREEK R11 430371614700S1 Active 14-20-603-2048A SW SE 2 840S 25E 0660FSL 1980FEL MCELMO CREEK R11 430371614700S1 Active 14-20-603-2057 NW NW 33 40S 25E 0500FNL 0660FWL MCELMO CREEK R11 430371614800S1 Active 14-20-603-2057 NW NW 33 40S 25E 2030FSL 0680FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FSL 0680FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 5 3 4S 25E 0660FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 5 3 4S 25E 0660F	MCELMO CREEK	G12	430371561800S1	Active	14-20-0603-6146	SE	SW	36	40\$	24E	1910FNL	2051FWL
MCELMO CREEK A17 43037163800S1 Active 14-20-603-6148 NE NE 10 415 24E 1270FNL 0680FEL MCELMO CREEK C14 430371626500S1 Active 14-20-603-6509 SE NW 2 41S 24E 2140FNL 2140FWL MCELMO CREEK E14 430371626800S1 Active 14-20-603-6510 SE NE 2 41S 24E 2050FNL 1920FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-6510 SE NE 2 41S 24E 2050FNL 1920FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-2048A SW SE 2 41S 24E 2050FNL 1920FEL MCELMO CREEK R11 430371614700S1 Active 14-20-603-2048A SW SE 2 840S 25E 0660FSL 1980FEL MCELMO CREEK R11 430371614700S1 Active 14-20-603-2057 NW NW 33 40S 25E 0500FNL 0660FWL MCELMO CREEK R11 430371614800S1 Active 14-20-603-2057 NW NW 33 40S 25E 2030FSL 0680FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FSL 0680FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 5 3 4S 25E 0660FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 5 3 4S 25E 0660F								<u> </u>			200	
MCELMO CREEK C14 43037163800S1 Active 14-20-0603-6148 NE NE 10 41S 24E 1270FNL 0660FEL MCELMO CREEK C14 430371626500S1 Active 14-20-0603-6509 SE NW 2 41S 24E 2140FNL 2140FWL MCELMO CREEK C14 430371626500S1 Active 14-20-0603-6510 NW NE 2 41S 24E 2140FNL 0500FEL MCELMO CREEK C14 430371626500S1 Active 14-20-0603-6510 NW NE 2 41S 24E 050FNL 0500FEL MCELMO CREEK C14 43037163700S1 Active 14-20-0603-6510 NW NE 2 41S 24E 050FNL 0500FEL MCELMO CREEK C14 43037163700S1 Active 14-20-0603-2048A NW SE 2 8 40S 25E 0660FSL 1980FEL MCELMO CREEK R13 430371614700S1 Active 14-20-0603-2057 NW NW 3 3 40S 25E 0500FNL 0625FWL MCELMO CREEK R13 43037161400S1 Active 14-20-0603-2057 NW NW 3 40S 25E 0500FNL 0625FWL MCELMO CREEK R13 43037161400S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 0680FWL MCELMO CREEK R13 43037161400S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 0680FWL MCELMO CREEK R13 43037161400S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 0680FWL MCELMO CREEK R13 43037161400S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 0500FNL 0625FWL MCELMO CREEK R13 43037161500S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 0500FNL 0625FWL MCELMO CREEK S10 43037161500S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 0500FNL 0625FWL MCELMO CREEK S10 43037161500S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 0500FNL 0625FWL MCELMO CREEK S10 43037161500S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 0500FNL 0625FWL MCELMO CREEK S10 43037161500S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 0500FNL 060FWL MCELMO CREEK S10 43037161500S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 0500FNL 060FNL 060FWL 0625FWL	MCELMO CREEK	D15	430371634100S1	Active	14-20-0603-6147	NW	SE	2	41S	24E	1830FSL	1830FEL
MCELMO CREEK C14 430371626700S1 Active 14-20-0603-6509 SE NW 2 41S 24E 2140FNL 2140FWL MCELMO CREEK F14 430371626700S1 Active 14-20-0603-6510 NW NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK F14 430371626700S1 Active 14-20-0603-6510 NW NE 2 41S 24E 2056FNL 0500FEL MCELMO CREEK F14 430371626700S1 Shut-in 14-20-0603-6510 NW NE 2 41S 24E 2056FNL 0500FEL MCELMO CREEK F18 43037163700S1 Shut-in 14-20-603-2048A SW SE 28 40S 25E 0660FSL 1980FEL MCELMO CREEK R11A 43037301790S1 Active 14-20-603-2057 NW NW 33 40S 25E 0500FNL 0625FWL MCELMO CREEK R11A 43037301790S1 Active 14-20-603-2057 NW NW 33 40S 25E 2036FSL 0680FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FSL 0500FWL MCELMO CREEK R13 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FNL 1980FWL MCELMO CREEK R14 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FNL 1980FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1050FWL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 4 41S 25E 2005FNL 1820FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 2005FNL 1820FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 0005FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 0005FNL 1050FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 0005FNL 1050FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 0005FNL 1050FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 1000FNL 2005FEL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 1000FNL 2005FPL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW S1 41S 25E 1000FNL 2005FPL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW S1 41S 25E										-0:		
MCELMO CREEK D13 420371626500S1 Active 14-20-0603-6509 S NW 2 41S 24E 2140FNL 2140FWL MCELMO CREEK D13 42037162670OS1 Active 14-20-0603-6510 NW NE 2 41S 24E 205FNL 1920FEL MCELMO CREEK E14 430371626800S1 Active 14-20-0603-6510 SE NE 2 41S 24E 205FNL 0500FEL MCELMO CREEK T08 43037163770OS1 Shul-in 14-20-0603-6510 SE NE 2 41S 24E 205FNL 0500FEL MCELMO CREEK R09 43037161470OS1 Active 14-20-0603-2048A SW SE 28 40S 25E 0660FSL 1980FEL MCELMO CREEK R11A 43037301790OS1 Active 14-20-0603-2057 NW NW 33 40S 25E 2030FSL 0680FWL MCELMO CREEK R11A 43037301790OS1 Active 14-20-0603-2057 NW SW 33 40S 25E 2030FSL 0680FWL MCELMO CREEK R13 43037161490OS1 Active 14-20-0603-2057 NW SW 44 1S 25E 1980FSL 0500FWL MCELMO CREEK R13 43037161500S1 Active 14-20-0603-2057 NW SW 44 1S 25E 1980FSL 0500FWL MCELMO CREEK S10 43037161500S1 Active 14-20-0603-2057 NW SW 44 1S 25E 1980FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-0603-2057 NW SW 44 1S 25E 1980FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-0603-2057 NW NW 44 1S 25E 1980FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-0603-2057 NW NW 44 1S 25E 1980FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-0603-2057 NW NW 54 41S 25E 1980FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-0603-2057 NW NE 4 41S 25E 2005FNL 1820FWL MCELMO CREEK NH 430371637800S1 Active 14-20-0603-2057 NW NE 4 41S 25E 0050FNL 1820FWL MCELMO CREEK NH 430371637800S1 Active 14-20-0603-2057 NW NE 4 41S 25E 0050FNL 1820FWL MCELMO CREEK NH 43037163800S1 Active 14-20-0603-2057 NW NE 4 41S 25E 0500FNL 1820FWL MCELMO CREEK NH 43037163800S1 Active 14-20-0603-2057 NW NE 4 41S 25E 0500FNL 1820FWL MCELMO CREEK NH 43037163800S1 Active 14-20-0603-2057 NW NE 4 41S 25E 0500FNL 1820FWL MCELMO CREEK NH 43037163800S1 Active 14-20-0603-2057 NW NW 18 41S 25E 1980FNL 0680FNL 0680FNL 1820FNL 182	MCELMO CREEK	A17	430371633800S1	Active	14-20-0603-6148	NE	NE	10	41S	24E	1270FNL	0660FEL
MCELMO CREEK E14 430371626700S1 Active 14-20-603-6510 SE NE 2 41S 24E 0820FNL 1920FEL 0500FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-6510 SE NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-2048A SW SE 28 40S 25E 0660FSL 1980FEL MCELMO CREEK R108 430371614700S1 Active 14-20-603-2048A SW SE 28 40S 25E 0660FSL 1980FEL MCELMO CREEK R11A 430373017900S1 Active 14-20-603-2057 NW NW 33 40S 25E 0500FNL 0525FWL MCELMO CREEK R11A 430371614800S1 Active 14-20-603-2057 NW NW 33 40S 25E 0500FNL 0525FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FSL 0500FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FNL 1980FWL MCELMO CREEK S11 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1050FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 0500FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 2005FNL 1820FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 2005FNL 1820FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0500FNL 1820FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW 14 41S 25E 0500FNL 1820FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW 14 41S 25E 0500FNL 2000FEL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW 14 41S 25E 0500FNL 2000FEL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW 14 41S 25E 0500FNL 2000FEL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW 14 41S 25E 1980FNL 0660FNL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW 14 41S 25E 1980FNL 0660FNL MCELMO CREEK S14 43037163800S1 Active 14-20-603-2057 NW NW 14 41S 25E 1980FNL 0660FNL MCELMO CREEK S14 43037163800S1 Active 14-20-603-263 NW NW				555							- 115	
MCELMO CREEK D13 430371626700S1 Active 14-20-0603-6510 SE NE 2 41S 24E 2050FNL 10500FEL	MCELMO CREEK	C14	430371626500S1	Active	14-20-0603-6509	SE	NW	2	41S	24E	2140FNL	2140FWL
MCELMO CREEK E14)		- A - A - A - A - A - A - A - A - A - A							
MCELMO CREEK E14	MCELMO CREEK	D13	430371626700S1	Active	14-20-0603-6510	NW	NE	2	41S	24E	0820FNL	1920FFL
MCELMO CREEK R09	MCELMO CREEK	E14	430371626800S1	Active	14-20-0603-6510	SE						
MCELMO CREEK R11												0000. 22
MCELMO CREEK R11A 430371614700S1 Active 14-20-603-2057 NW NW 33 40S 25E 2030FSL 0680FWL	MCELMO CREEK	T08	430371637700S1	Shut-in	14-20-603-2048A	sw	SE	28	40S	25F	0660ESI	1980FFI
MCELMO CREEK											OGGGI GE	10001 EE
MCELMO CREEK R11A 430373017900S1 Active 14-20-603-2057 NW SW 33 40S 25E 2030FSL 0680FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 115 25E 1990FSL 0660FWL MCELMO CREEK R15 430371614900S1 Active 14-20-603-2057 NW W 4 15 25E 1990FSL 0500FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 4 415 25E 2005FNL 1820FWL MCELMO CREEK S16 43037163000S1 Active 14-20-603-2057 NW W 4 415 25E 0700FSL 1820FWL MCELMO CREEK T13 430371637900S1 Active 14-20-603-2057 NW NE	MCELMO CREEK	R09	430371614700S1	Active	14-20-603-2057	NW	NW	33	405	25F	0500ENI	0625EWI
MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK S10 430371637500S1 Active 14-20-603-2057 NW SW 4 41S 25E 1990FSL 0500FWL MCELMO CREEK S10 43037161500OS1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1880FWL MCELMO CREEK S12 43037161500OS1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1880FWL MCELMO CREEK S14 43037161510OS1 Active 14-20-603-2057 SE NW 41S 25E 2005FNL 1820FWL MCELMO CREEK S16 4303716150OS1 Active 14-20-603-2057 SE SW 41S 25E 00645FSL 2140FWL MCELMO CREEK S16 430373008000S1 Active 14-20-603-2057 NW NE 33 40S 25E 0940FNL 2035FEL MCELMO CREEK T13 430371637800S1 Active 14-20-603-2057 NW NE 33 40S 25E 0940FNL 2035FEL MCELMO CREEK T13 430371637800S1 Active 14-20-603-2057 NW NE 41S 25E 0500FNL 2039FEL MCELMO CREEK T15 43037163810OS1 Active 14-20-603-2057 NW NE 33 40S 25E 0940FNL 2035FEL MCELMO CREEK T15 43037163810OS1 Active 14-20-603-2057 NW NE 41S 25E 0500FNL 2090FEL MCELMO CREEK T15 43037163500S1 Active 14-20-603-2057 NW NE 41S 25E 0500FNL 2090FEL MCELMO CREEK U10 430371615500S1 Active 14-20-603-2057 NW NE 41S 25E 0500FNL 2090FEL MCELMO CREEK U14 430371615500S1 Active 14-20-603-2057 NW NE 41S 25E 0660FSL 0805FEL MCELMO CREEK U14 430371615500S1 Active 14-20-603-2057 NW NE 41S 25E 0660FSL 0805FEL MCELMO CREEK U14 430371615500S1 Active 14-20-603-2057 NW NW 31S 25E 0500FNL 0600FSL MCELMO CREEK U15 43037163800S1 Active 14-20-603-2057 NW NW 31S 25E 0500FNL 0600FSL MCELMO CREEK U15 43037163800S1 Active 14-20-603-2057 NW NW 31S 25E 0500FNL 0600FSL MCELMO CREEK U15 43037163800S1 Active 14-20-603-2057 NW NW 31S 25E 0500FNL 050	MCELMO CREEK	R11A										
MCELMO CREEK	MCELMO CREEK	R13										
MCELMO CREEK S10 430371637500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1980FWL MCELMO CREEK S12 43037161500OS1 Active 14-20-603-2057 SE SW 33 40S 25E 0645FSL 2140FWL MCELMO CREEK S14 4303716150OS1 Active 14-20-603-2057 SE NW 4 14IS 25E 2005FNL 1820FWL MCELMO CREEK S16 4303716150OS1 Active 14-20-603-2057 SE SW 4 41S 25E 0700FSL 1820FWL MCELMO CREEK T09A 4303730080OS1 Active 14-20-603-2057 NW NE 33 40S 25E 0940FNL 2035FEL MCELMO CREEK T13 43037163780OS1 Active 14-20-603-2057 NW NE 4 41S 25E 0700FSL 1820FWL MCELMO CREEK T13 43037163780OS1 Active 14-20-603-2057 NW NE 4 41S 25E 0500FNL 2035FEL MCELMO CREEK T15 43037163790OS1 Active 14-20-603-2057 NW NE 4 41S 25E 0500FNL 2035FEL MCELMO CREEK U10 43037163780OS1 Active 14-20-603-2057 NW SE 4 41S 25E 1880FSL 1890FEL MCELMO CREEK U12 4303716350OS1 Active 14-20-603-2057 NW SE 4 41S 25E 1880FSL 1890FEL MCELMO CREEK U12 43037161550OS1 Active 14-20-603-2057 SE NE 33 40S 25E 1080FNL 0610FSL MCELMO CREEK U14 43037161550OS1 Active 14-20-603-2057 SE NE 33 40S 25E 1080FNL 0610FSL MCELMO CREEK U14 43037161550OS1 Active 14-20-603-2057 SE NE 4 41S 25E 1980FNL 0660FEL MCELMO CREEK U14 43037163840OS1 Active 14-20-603-2057 NW NW NW NW SE 25E 050FSL 0745FEL MCELMO CREEK U15 43037163840OS1 Active 14-20-603-2057 NW NW NW NW NW NW NW NW NW NW NW NW NW	MCELMO CREEK	R15										
MCELMO CREEK S12												
MCELMO CREEK S14												
MCELMO CREEK S16 430371615200S1 Active 14-20-603-2057 SE SW 4 41S 25E 0700FSL 1820FWL												
MCELMO CREEK T19A 43037308000S1 Active 14-20-603-2057 NW NE 33 40S 25E 0940FNL 2035FEL						-						
MCELMO CREEK T13 430371637800S1 Active 14-20-603-2057 NW NE 4 41S 25E 0500FNL 2000FEL MCELMO CREEK T15 430371637800S1 Active 14-20-603-2057 NW SE 4 41S 25E 1880FSL 1890FEL MCELMO CREEK U10 430371638100S1 Active 14-20-603-2057 SE NE 33 40S 25E 1980FNL 0610FSL MCELMO CREEK U12 430371615500S1 Active 14-20-603-2057 SE NE 33 40S 25E 1980FNL 0610FSL MCELMO CREEK U14 430371615500S1 Active 14-20-603-2057 SE NE 33 40S 25E 0660FSL 0805FEL MCELMO CREEK U14 430371615500S1 Active 14-20-603-2057 SE NE 4 41S 25E 1980FNL 0660FEL MCELMO CREEK U14 430371615700S1 Active 14-20-603-2057 SE NE 4 41S 25E 0500FNL 0660FEL MCELMO CREEK U16 430371638300S1 Active 14-20-603-2057 SE NE 4 41S 25E 0500FNL 0660FEL MCELMO CREEK V15 430371638400S1 Active 14-20-603-2057 NW NW 3 41S 25E 0600FNL 0600FWL MCELMO CREEK V15 430371638400S1 Active 14-20-603-2057 NW SW 3 41S 25E 0600FNL 0600FWL MCELMO CREEK J17 430371638600S1 Active 14-20-603-2057 NW SW 3 41S 25E 0500FNL 0500FWL MCELMO CREEK J17 A3037163800S1 Active 14-20-603-2057 NW SW 7 41S 25E 0500FNL 0500FWL MCELMO CREEK J21 430371549900S1 Active 14-20-603-263 NW SW 7 41S 25E 0500FNL 0500FWL MCELMO CREEK K18 43037163500S1 Active 14-20-603-263 NW NW 7 41S 25E 0500FNL 0500FWL MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE NW 7 41S 25E 0500FNL 1800FWL MCELMO CREEK K24 43037103000S1 Active 14-20-603-263 SE NW 7 41S 25E 0600FNL 1800FWL MCELMO CREEK K24 43037103000S1 Active 14-20-603-263 SE NW 18 41S 25E 0600FNL 1800FWL MCELMO CREEK K24 43037103000S1 Active 14-20-603-263 SE NW 18 41S 25E 0600FNL 1800FWL MCELMO CREEK K24 43037103000S1 Active 14-20-603-263 SE NW 18 41S 25E 0600FNL 1800FNL MCELMO CREEK K24 43037103000S1 Active 14-20-603-263 SE NW 18 41S 25E 0600FNL 1900FEL MCELMO CREEK K19 43037155000S1 Active 14-20-603-263 SE NW 18 41S 25E 0600FNL 1900FEL MCELMO CREEK K19 43037155000S1 Active 14-20-603-263 NW NE 7 41S 25E 0600FNL 1900FEL MCELMO CREEK M19 43037155000S1 Active 14-20-603-263 NW NE 18 41S 25E 0600FNL 0900FNL MCELMO CREEK M19 43037155100S1 Active 14-20-603-263 NW NW 17 41S 25E 1800FNL 060							Commercial Commercial	_				
MCELMO CREEK T15												
MCELMO CREEK U10 430371638100S1 Active 14-20-603-2057 SE NE 33 40S 25E 1980FNL 0610FSL MCELMO CREEK U12 430371615500S1 Active 14-20-603-2057 SE SE 33 40S 25E 0660FSL 0805FEL MCELMO CREEK U14 430371615600S1 Active 14-20-603-2057 SE NE 4 41S 25E 0660FSL 0805FEL MCELMO CREEK U16 430371615700S1 Active 14-20-603-2057 SE NE 4 41S 25E 0550FSL 0745FEL MCELMO CREEK V13 430371638400S1 Active 14-20-603-2057 NW NW 3 41S 25E 0860FNL 0550FWL MCELMO CREEK J17 430371638400S1 Active 14-20-603-263 NW NW 7 41S 25E 0820FNL 0550FWL MCELMO CREEK J21 430371549800S1 Active 14-20-603-263 NW NW												
MCELMO CREEK U12 430371615500S1 Active 14-20-603-2057 SE SE 33 40S 25E 0660FSL 0805FEL												
MCELMO CREEK U14 430371615600S1 Active 14-20-603-2057 SE NE 4 41S 25E 1980FNL 0660FEL MCELMO CREEK U16 430371615700S1 Active 14-20-603-2057 SE SE 4 41S 25E 0660FNL 0660FEL MCELMO CREEK V13 430371638300S1 Active 14-20-603-2057 NW NW 3 41S 25E 0660FNL 0660FWL MCELMO CREEK V15 430371638400S1 Active 14-20-603-2057 NW NW 3 41S 25E 0660FNL 0660FWL MCELMO CREEK J17 43037163600S1 Active 14-20-603-263 NW NW 7 41S 25E 0820FNL 0550FWL MCELMO CREEK J19 430371549900S1 Active 14-20-603-263 NW NW 18 41S 25E 0400FNL 0550FWL MCELMO CREEK J21 430371549900S1 Active 14-20-603-263 NW NW 18 41S 25E 0400FNL 05575FWL MCELMO CREEK K18 430371635700S1 Active 14-20-603-263 NW NW 18 41S 25E 0660FSL 1800FWL MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE NW 7 41S 25E 0660FSL 1810FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1810FWL MCELMO CREEK K24 43037163500S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1810FWL MCELMO CREEK L21 43037163500S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 43037163500S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1980FEL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NE 7 41S 25E 1860FSL 1980FEL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NE 8 41S 25E 0820FNL 1980FEL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NE 8 41S 25E 0660FSL 0660FWL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NW NW NW NW NW NW NW NW NW NW NW NW												
MCELMO CREEK U16 430371615700S1 Active 14-20-603-2057 SE SE 4 41S 25E 0550FSL 0745FEL MCELMO CREEK V13 430371638300S1 Active 14-20-603-2057 NW NW 3 41S 25E 0660FNL 0660FWL MCELMO CREEK V15 430371638400S1 Active 14-20-603-2057 NW NW 3 41S 25E 0660FNL 0560FWL MCELMO CREEK J17 430371549800S1 Active 14-20-603-263 NW NW 7 41S 25E 0820FNL 0550FWL MCELMO CREEK J19 430371635600S1 Active 14-20-603-263 NW NW 7 41S 25E 0256FNL 1997FWL MCELMO CREEK K18 430371635700S1 Active 14-20-603-263 SE NW 7 41S 25E 0400FNL 0575FWL MCELMO CREEK K20 430371635000S1 Active 14-20-603-263 SE NW												
MCELMO CREEK V13												Andrew Co. Co.
MCELMO CREEK V15 430371638400S1 Active 14-20-603-263 NW NW 7 41S 25E 0820FNL 0550FWL												
MCELMO CREEK J17 430371549800S1 Active 14-20-603-263 NW NW 7 41S 25E 0820FNL 0550FWL MCELMO CREEK J19 430371635600S1 Active 14-20-603-263 NW NW 18 41S 25E 2056FNL 1997FWL MCELMO CREEK K18 430371549800S1 Active 14-20-603-263 NW NW 18 41S 25E 0400FNL 0575FWL MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE NW 7 41S 25E 1830FNL 1808FWL MCELMO CREEK K22 43037304000S1 Active 14-20-603-263 SE NW 7 41S 25E 0660FSL 1810FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE NW 18 41S 25E 2022FNL 1588FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1810FWL MCELMO CREEK L17 430371636000S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L17 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550700S1 Active 14-20-603-263 NW NE 7 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371551000S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 NW NE 18 41S 25E 1800FSL 2140FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 NW SE 18 41S 25E 1800FSL 1980FEL MCELMO CREEK M20 430371551000S1 Active 14-20-603-263 NW SE 18 41S 25E 0660FSL 0660FSL MCELMO CREEK M20 430371551000S1 Active 14-20-603-263 NW NE 18 41S 25E 0660FSL 0660FSL MCELMO CREEK N17 430371551000S1 Active 14-20-603-263 NW NE 18 41S 25E 0660FSL 0660FSL MCELMO CREEK N17 430371551000S1 Active 14-20-603-263 NW NE 18 41S 25E 0660FSL 0660FSL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NW NE 18 41S 25E 0660FSL 0660FSL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0600FSL 0660FSL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FSL 0660FSL MCELMO CREEK N21 430371551000S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK N21 430371551000S1 Active 14-20-603-263 NW NW NW 17												
MCELMO CREEK J19	WICELINIO CREEK	V 15	43037163840051	Active	14-20-603-2057	INW	SW	3	415	25E	1980FSL	0560FWL
MCELMO CREEK J19	MCELMO ODEEK	14.7	40007454000004		11 00 000 000							
MCELMO CREEK J21 430371549900S1 Active 14-20-603-263 NW NW 18 41S 25E 0400FNL 0575FWL												
MCELMO CREEK K18 430371635700S1 Active 14-20-603-263 SE NW 7 41S 25E 1830FNL 1808FWL MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE NW 7 41S 25E 0660FSL 1810FWL MCELMO CREEK K22X 430373040000S1 Active 14-20-603-263 SE NW 18 41S 25E 2082FNL 1588FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L17 430371635800S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW SE 18 41S 25E 1980FSL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 NW SE 18 41S 25E 1980FSL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551500S1 Active 14-20-603-263 NW NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551600S1 Active 14-20-603-263 NW NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK N21 430371551700S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK N21 430371551700S1 Active 14-20-603-263 NW NW NW 17 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551700S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK N21 430371551700S1 Active 14-20-603-263 NW NW NW 17 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551700S1 Active 14-20-603-263 SE NW NW NW 17 41S 25E 1850FNL 1890FWL										_		
MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE SW 7 41S 25E 0660FSL 1810FWL MCELMO CREEK K22X 430373040000S1 Active 14-20-603-263 SE NW 18 41S 25E 2082FNL 1588FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE SW 18 41S 25E 2082FNL 1588FWL MCELMO CREEK L17 430371636000S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW NE												
MCELMO CREEK K22X 430373040000S1 Active 14-20-603-263 SE NW 18 41S 25E 2082FNL 1588FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE SW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L17 430371636000S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 2140FEL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW NE 18 41S 25E 1980FEL MCELMO CREEK M18 430371551100S1 Active 14-20-603-263 SE NE 7 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>												
MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE SW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L17 430371636000S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FNL 1980FEL MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 1860FSL 2140FEL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW NE 18 41S 25E 1980FSL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M19 430371551400S1 Active 14-20-603-263 NW NW								-			0660FSL	1810FWL
MCELMO CREEK L17 430371636000S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FNL 1980FEL MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW SE 7 41S 25E 0860FNL 1980FEL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW								_			2082FNL	1588FWL
MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW SE 7 41S 25E 1860FSL 2140FEL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW SE 18 41S 25E 1980FSL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 1850FNL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW NW								18	418	25E	0660FSL	1801FWL
MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW SE 18 41S 25E 1980FSL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0860FNL 0500FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW				Active	14-20-603-263	NW	NE	7	41S	25E	0660FNL	1980FEL
MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW SE 18 41S 25E 1980FSL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW SW 8 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK O18 430371551700S1 Active 14-20-603-263 SE			430371550500S1	Active	14-20-603-263	NW	SE	7	415	25E	1860FSL	2140FEL
MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW SW 8 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK N21 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 0660FNL 0660FWL MCELMO CREEK O18 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL<			430371550600S1	Active	14-20-603-263	NW	NE	18	41S	25E	0820FNL	1980FEL
MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW NW 8 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK O18 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL		L23	430371550700S1	Active	14-20-603-263	NW	SE					1980FEL
MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW SW 8 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK O18 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL			430371551000S1	Active	14-20-603-263			_		$\overline{}$		
MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW SW 8 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW 17 41S 25E 0660FWL MCELMO CREEK O18 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL		M20						_	_			
MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW SW 8 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW 17 41S 25E 0660FWL MCELMO CREEK O18 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL	MCELMO CREEK	N17						_				
MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK O18 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL	MCELMO CREEK											
MCELMO CREEK 018 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL								-				
MOSING ODESIGNATIONS AND ADDRESS OF THE LOCAL METERS OF THE LOCAL								_				
MCELMO CREEK P17 430371551900S1 Active 14-20-603-263 NW NE 8 41S 25E 0660FNL 1980FEL				Active	14-20-603-263			_			0660FNL	1980FEL

GREATER ANETH FIELD UIC WELL LIST McElmo Creek lease, San Juan County, Utah

					Surface Location						
Reg Lease Name	Well ID	API Num	Status	Reg Lease #	Qtr 1	Qtr 2	Sec	TN		NS Foot	EW Foot
The second second			- Clarac	Trog Zodoo II		- C.	1000		1410	110 1 000	LVV 1 OOL
MCELMO CREEK	P19	430371552000S1	Active	14-20-603-263	NW	SE	8	41S	25E	2140FSL	1980FEL
MCELMO CREEK	P21	430371636900S1	Active	14-20-603-263	NW	NE	17		25E	0660FNL	1980FEL
MCELMO CREEK	P23A	430373143900S1	Active	14-20-603-263	sw	NE	17			2531FNL	2325FEL
				585			1			-37	
MCELMO CREEK	L25	430371550800S1	Active	14-20-603-264	NW	NE	19	41S	25E	0660FNL	1980FEL
			V.II.							11.52	1,1,1,1,1
MCELMO CREEK	R17	430371597600S1	Active	14-20-603-359	NW	NW	9	41S	25E	0740FNL	0560FWL
MCELMO CREEK	R19	430371637300S1	Active	14-20-603-359	NW	sw	9	41S		1980FSL	0660FWL
MCELMO CREEK	R21	430371637400S1	Active	14-20-603-359	NW	NW	16			0511FNL	0562FWL
MCELMO CREEK	T17	430371638000S1	Active	14-20-603-359	NW	NE	9	_	25E	0675FNL	1933FEL
MCELMO CREEK	E21	430371634300S1	Active	14-20-603-370	NE	NE	14	41S	24E	0660FNL	0660FEL
MCELMO CREEK	E23	430371634400S1	Active	14-20-603-370	NE	SE	14	41S		2031FSL	0711FEL
MCELMO CREEK	G21A	430373097400S1	Active	14-20-603-370	NE	NW	13	41S		0867FNL	1883FWL
MCELMO CREEK	G23	430371634800S1	Shut-in	14-20-603-370	NE	SW	13	41S	24E	2092FSL	1899FWL
MCELMO CREEK	G25	430371634900S1	Active	14-20-603-370	NE	NW	24	41S	24E	0660FNL	1980FWL
MCELMO CREEK	123	430371635200S1	Active	14-20-603-370	NE	SE	13	41S		1980FSL	0660FEL
MCELMO CREEK	125	430371635300S1	Active	14-20-603-370	NE	NE	24	41S	24E	0530FNL	0820FEL
					1						
MCELMO CREEK	J11	430371635400S1	TA'd	14-20-603-372	NW	SW	31	40S	25E	1980FSL	0660FWL
MCELMO CREEK	J13	430371635500S1	Active	14-20-603-372	NW	NW	6	41S	25E	0621FNL	0580FWL
MCELMO CREEK	J15	430371595400S1	Active	14-20-603-372	NW	SW	6	41S	25E	1980FSL	0500FWL
MCELMO CREEK	K12	430371595500S1	Active	14-20-603-372	SW	SW	31	40S	25E	0670FSL	1970FWL
MCELMO CREEK	K14	430371595600S1	Active	14-20-603-372	SE	NW	6	41S	25E	1851FNL	1885FWL
MCELMO CREEK	K16	430371595700S1	Active	14-20-603-372	SE	SW	6	41S	25E	0660FSL	1816FWL
MCELMO CREEK	L09	430371635900S1	Active	14-20-603-372	NW	NE	31	40S	25E	0660FNL	1980FEL
MCELMO CREEK	L13	430371595900S1	Active	14-20-603-372	NW	NE	6	41S		0778FNL	1917FEL
MCELMO CREEK	L15	430371596000S1	Active	14-20-603-372	NW	SE	6	41S		1820FSL	1830FEL
MCELMO CREEK	M10	430371596100S1	Shut-in	14-20-603-372	SE	NE	31	40S	25E	1980FNL	0530FEL
MCELMO CREEK	M12	430371596200S1	Active	14-20-603-372	SE	SE	31	40S	25E	0590FSL	0585FEL
MCELMO CREEK	M14	430371596300S1	Active	14-20-603-372	SE	NE	6	41S	25E	2089FNL	0773FEL
MCELMO CREEK	M16	430371636100S1	Active	14-20-603-372	SE	SE	6	41S	25E	0660FSL	0660FEL
MCELMO CREEK	N09	430371596400S1	Shut-in	14-20-603-372	NW	NW	32	40S	25E	0628FNL	0615FWL
MCELMO CREEK	N11	430371596500S1	Active	14-20-603-372	NW	SW	32	40S	25E	2069FSL	0618FWL
	N13	430371596600S1	Active	14-20-603-372	NW	NW	5	41S	25E	0840FNL	0505FWL
MCELMO CREEK	N15	430371636300S1	Active	14-20-603-372	NW	SW	5	41S	25E	2140FSL	820FWL
MCELMO CREEK	012	430371596800S1	Active	14-20-603-372	SE	SW	32	40S	25E	0809FSL	1832FWL
	014	430371636500S1	Active	14-20-603-372		NW	5	418	25E	2056FNL	1997FWL
MCELMO CREEK	O16	430371596900S1	Active	14-20-603-372	SE	SW	5	418	25E	0660FSL	1980FWL
MCELMO CREEK	P09	430371636700S1	Active	14-20-603-372	NW	NE	32	408	25E	0598FNL	2100FEL
MCELMO CREEK	P11	430371597101S2	Active	14-20-603-372	NW	SE	32	40S	25E	2105FSL	2006FEL
MCELMO CREEK	P13	430371636800S1	Active	14-20-603-372	NW	NE	5	41S	25E	0610FNL	1796FWL
MCELMO CREEK	P15	430371597200S1	Active	14-20-603-372			5	41S	25E	1980FSL	1980FEL
MCELMO CREEK	Q10	430371597301S1	Active	14-20-603-372	SE	NE	32	40S	25E	1899FNL	0532FEL
MCELMO CREEK	Q16	430371597500S1	TA'd	14-20-603-372	SE	SE	5	41S	25E	0660FSL	0660FEL
NACTION OF THE PARTY OF THE PAR											
MCELMO CREEK	F13	430371634500S1	Active	14-20-603-4032				41S		0795FNL	0535FWL
MCELMO CREEK	F15A	430373114900S1	Active	14-20-603-4032		-		41S		1920FSL	0624FWL
MCELMO CREEK	G14	430371614300S1	Active	14-20-603-4032		NW	1	41S	24E	1980FNL	1980FWL
MCELMO CREEK	G16	430371614400S1	Active	14-20-603-4032	SE	SW	1	41S	24E	0820FSL	1820FWL
MCELMO CREEK	H13	430371635100S1	Active	14-20-603-4032	NW	NE		41S			2110FEL
MCELMO CREEK	I-14	430371614500S1	Active	14-20-603-4032	SE	NE		41S		1980FNL	0660FEL

GREATER ANETH FIELD UIC WELL LIST McElmo Creek lease, San Juan County, Utah

1		API Num		Reg Lease #	Surface Location						
Reg Lease Name	Well ID		Status		Qtr 1	Qtr 2	Sec	TN	RNG	NS Foot	EW Foot
								NSC.			
MCELMO CREEK	F17	430371549300S1	Active	14-20-603-4039	NW	NW	12	41S	24E	0740FNL	0500FWL
MCELMO CREEK	G18	430371549400S1	Active	14-20-603-4039	SE	NW	12	41S	24E	1980FNL	1980FWL
MCELMO CREEK	H15	430371549500S1	Active	14-20-603-4039	NW	SE	1	41S	24E	1980FSL	1980FEL
MCELMO CREEK	H17	430371549600S1	Active	14-20-603-4039	NE	NW	12	418	24E	0660FNL	1980FEL
MCELMO CREEK	118	430371570900S1	Active	14-20-603-4495	SE	NE	12	415	24E	1840FNL	0555FEL
1,22				- Aii							
MCELMO CREEK	E19	430371634200S1	Shut-in	14-20-603-5449	NE	SE	11_	41S	24E	1980FSL	0660FEL
MCELMO CREEK	G19	430371634600S1	Active	14-20-603-5450	NE	SW	12	41S	24E	1350FSL	1800FWL
MCELMO CREEK	120	430371571000S1	Active	14-20-603-5451	SE	SE	12	41S	24E	0990FSL	0500FEL
MCELMO CREEK	N07	430371636200S1	Active	I-149-IND-8839	NE	sw	29	40S	25E	2083FSL	745FWL
MCELMO CREEK	P07	430371636200S1	Active	I-149-IND-8839	NW	SE	29	40S	25E	1820FSL	2140FEL
MCELMO CREEK	O10	430371596700S1	Active	NOG99041325	SE	NW	32	40S	25E	2086FNL	1944FWL